



PUBLIC NOTICE

APPLICATION TO THE ENVIRONMENTAL PROTECTION AGENCY FOR THE REVIEW OF A WASTE WATER DISCHARGE LICENCE

Pursuant to Regulation 9 of the European Union (Waste Water Discharge) Regulations 2007 to 2020, Uisce Éireann, Colvill House, 24-26 Talbot Street, Dublin 1, intend to apply to the Environmental Protection Agency for the review of the Waste Water Discharge Licence (D0034-01) for the Greater Dublin Area Agglomeration, Co. Dublin.

The waste water works serving the agglomeration located in post codes Dublin 1 to Dublin 24 inclusive, as well as additional areas in County Dublin, County Kildare and County Meath consists of an upgraded Waste Water Treatment Plant; an existing Primary Discharge (SW001); 51 no. Dual Function Overflows (*i.e.*, act as a Storm Water Overflow or Emergency Overflow depending on the event); 332 no. network Storm Water Overflows, 2 no. Emergency Overflows, associated sewer network and pumping stations. Details of the location of these works and associated discharges are as follows:-

Waste Water Works Item	Location	Irish National Grid Reference
Ringsend Waste Water Treatment Plant	Pigeon House Road, Dublin 4	320155E, 233586N
Primary Discharge Point (SW001)	Liffey Estuary Lower	321073E, 233814N

Receiving Waterbody	No. of Overflows Associated with Waterbody	Location by townlands or approximate geographic reference
Brewery Stream IE_EA_09B130400	10	Monkstown Housefarm Newtown Blackrock Intake Boosterstown
Broadmeadow_010 IE_EA_08B020400	2	Killegland Jamestown
Broadmeadow_020 IE_EA_08B020600	2	Milltown
Camac_030 IE_EA_09C020310	2	Clondalkin
Camac_040 IE_EA_09C020500	23	Ballymanaggin Clondalkin Knockmitten
Dodder_040 IE_EA_09D010620	4	Knocklyon Tallaght Templeogue

Receiving Waterbody	No. of Overflows Associated with Waterbody	Location by townlands or approximate geographic reference
Dodder_050 IE_EA_09D010900	35	Newtown Little Rathmines Great Churchtown Lower Rathfarnham Roebuck Farranboley
Dublin Bay IE_EA_090_0000	41	Bullock Howth Glasthule Kilbarrack Lower Intake
Grand Canal Basin (Liffey and Dublin Bay) IE_09_AWB_GCB	16	Clonburris Great
Kill of the Grange Stream_010 IE_EA_10K020200	1	Deansgrange
Liffey Estuary Lower IE_EA_090_0300	2	Between Talbot Memorial Bridge and Dublin Bay
Liffey Estuary Upper IE_EA_090_0400	72	Between UCD Rowing Club and Talbot Memorial Bridge
Liffey_170 IE_EA_09L012100	10	Esker South Lucan And Pettycanon Glebe Grange Commons Little Doddsborough Rathcoole Lucan Demesne
Liffey_180 IE_EA_09L012350	8	Palmerston Lower Quarryvale Castleknock St. Edmondsbury
Liffey_190 IE_EA_09L012360	7	Between Anna Livia Bridge and UCD Rowing Club
Mayne_010 IE_EA_09M030500	2	Maynetown
Owenadoher_010 IE_EA_09O011700	1	Rathfarnham
Poddle_010 IE_EA_09P030800	7	Kimmage Templeogue
Powerstown (Dublin)_010 IE_EA_09P210700	1	Hollywoodrath
Royal Canal Main Line (Liffey and Dublin Bay) IE_09_AWB_RCMLE	1	Castleknock
Santry_010 IE_EA_09S010300	2	Dubber Santry

Receiving Waterbody	No. of Overflows Associated with Waterbody	Location by townlands or approximate geographic reference
Santry_020 IE_EA_09S011100	9	Between Coolock Public Library and North Bull Island / Between All Saints Road and Tolka Estuary
Sluice_010 IE_EA_09S071100	3	Carrickhill Kinsaley Burrow
Tolka Estuary IE_EA_090_0200	59	Between St Anne's Park and Dublin Port (including area between Fairview and North Strand)
Tolka_040 IE_EA_09T011000	3	Deanestown Blanchardstown Castleknock
Tolka_050 IE_EA_09T011100	12	Between M50 and Glasnevin Cemetery
Tolka_060 IE_EA_09T011150	17	Between Glasnevin Cemetery and Holy Cross College & Diocesan Centre
Ward_010 IE_EA_08W010050	1	Priest Town
Ward_030 IE_EA_08W010300	3	Bay Newtown Priest Town
Unnamed waterbodies / Receiving waterbody yet to be determined	29	Westmanstown Baldoyle Kilnamanagh Redcowfarm Roebuck

A copy of –

- (i) The application for the review of the waste water discharge licence
- (ii) The Environmental Impact Assessment Report (EIAR)
- (iii) Such further information relating to the application as may be furnished to the Agency in the course of the Agency's consideration of the application

shall, as soon as is practicable after receipt by the Agency, be available for inspection or purchase at a fee not exceeding the reasonable cost of making a copy at the headquarters of the Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford and at Uisce Éireann, Colvill House, 24-26 Talbot Street, Dublin 1. The EIAR will also be available on the Environmental Protection Agency's website for inspection.

Submissions in relation to the review application may be made to the Environmental Protection Agency at its headquarters at P.O. Box 3000, Johnstown Castle Estate, Co. Wexford, in writing within the period of 5 weeks beginning on the date of receipt by the Agency of the application.