



Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

INDUSTRIAL EMISSIONS LICENCE
Recommended Determination

Licence Register Number:	P0790-03
Licensee:	Mr. Eoin O'Brien
Location of Installation:	Mogeely Pig Farm, Annistown, Killeagh, County Cork

INTRODUCTION

This introduction is not part of this licence and does not purport to be a legal interpretation of this licence.

Mr. Eoin O'Brien owns and operates a licensed pig unit located at Mogeely Pig Farm, Annistown, Killeagh, County Cork.

The installation is currently operating as a 600-sow integrated unit and the licence reviews allows for an increase to a 1,500-sow integrated unit.

The activity is above the IE licensing threshold of 2,000 places for production pigs and/or 750 places for sows specified under Annex 1 of the Industrial Emissions Directive and the First Schedule of the EPA Act 1992 as amended. This licence limits the number of pigs housed at the installation to 1,500 sows and 12,410 production pigs.

For the purposes of the Industrial Emissions Directive (2010/75/EU), this installation falls within the scope of Annex 1, Category:

- Intensive rearing of pigs
 - with more 2,000 places for production pigs (over 30 kg), and/or
 - with more than 750 places for sows.

This licence sets out in detail the conditions under which Mr. Eoin O'Brien will operate and manage this installation.

Table of Contents

	Page No
Glossary of Terms.....	1
Decision & Reasons for the Decision	8
Part I Schedule of Activities Licensed.....	11
Part II Conditions.....	12
Condition 1. Scope	12
Condition 2. Management of the Installation	12
Condition 3. Infrastructure and Operation	14
Condition 4. Interpretation	16
Condition 5. Emissions	16
Condition 6. Control and Monitoring	17
Condition 7. Resource Use and Energy Efficiency	21
Condition 8. Materials Handling	22
Condition 9. Accident Prevention and Emergency Response	23
Condition 10. Decommissioning & Residuals Management	24
Condition 11. Notification, Records and Reports	24
Condition 12. Financial Charges and Provisions	26
SCHEDULE A: Limitations	28
SCHEDULE B: Emission Limits	28
SCHEDULE C: Control and Monitoring	29
SCHEDULE D: Annual Environmental Report	34

Glossary of Terms

All terms in this licence should be interpreted in accordance with the definitions in the Environmental Protection Agency Act 1992 as amended/Waste Management Act 1996 as amended, unless otherwise defined in the glossary.

Accident	For the purpose of this licence an accident means an unplanned event that may result in pollution.
AER	Annual Environmental Report.
Animal By-Product Regulations	Regulation (EC) No.1069/2009 of the European Parliament and of the Council of 21 October 2009 and Commission Regulation (EU) No. 142/2011 of 25 February 2011.
Annually	All or part of a period of twelve consecutive months.
Application	The application by the licensee for this licence.
Appropriate Facility	A waste management facility or installation, duly authorised under relevant law and technically suitable.
Approval	Approval in writing/electronically.
Attachment	Any reference to Attachments in this licence refers to attachments submitted as part of this licence application.
BAT	Best Available Techniques (BAT) as described in the Commission Implementing Decision (CID) (EU 2017/302) of 15 February 2017 establishing best available techniques (BAT) conclusions, under Directive 2010/75/EU of the European Parliament and of the Council, for the intensive rearing of poultry or pigs. Reference to BAT numbers in the conditions of this licence are references to the BAT Conclusions according to how they are numbered in the aforementioned CID.
BAT conclusions	A document containing the parts of a BAT reference document laying down the conclusions on best available techniques, their description, information to assess their applicability, the emission levels associated with the best available techniques, associated monitoring, associated consumption levels and, where appropriate, relevant site remediation measures.
BAT reference document	A document drawn up by the Commission of the European Union in accordance with Article 13 of the Industrial Emissions Directive, resulting from the exchange of information in accordance with that Article of that Directive and describing, in particular, applied techniques, present emissions and consumption levels, techniques considered for the determination of best available techniques as well as BAT conclusions and any emerging techniques.
Biannually	At approximately six-monthly intervals.

Biennially	Once every two years.
BOD	5 day Biochemical Oxygen Demand (without nitrification suppression).
CEN	Comité Européen De Normalisation – European Committee for Standardisation.
CID	Commission Implementing Decision (EU 2017/302) of 15 February 2017 establishing best available techniques (BAT) conclusions, under Directive 2010/75/EU of the European Parliament and of the Council, for the intensive rearing of poultry or pigs.
COD	Chemical Oxygen Demand.
Containment boom	A boom that can contain spillages and prevent them from entering drains or watercourses or from further contaminating watercourses.
Customer Farmers	Farmers who may use/recover organic fertiliser generated at the installation as fertiliser on their lands.
Daily	During all days of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement on any one day.
Day	Any 24-hour period.
Daytime	07:00hrs to 19:00hrs.
dB(A)	Decibels (A weighted).
Diffuse Emissions	Non-channelled emissions which can result from ‘area’ sources (e.g. tanks) or ‘point’ sources (e.g. pipe flanges).
DO	Dissolved oxygen.
Documentation	Any report, record, results, data, drawing, proposal, interpretation or other document in written or electronic form which is required by this licence.
Drawing	Any reference to a drawing or drawing number means a drawing or drawing number contained in the application, unless otherwise specified in this licence.
EIA	Environmental Impact Assessment.
EIS	Environmental Impact Statement.
Emission limits	Those limits, including concentration limits and deposition rates, established in <i>Schedule B: Emission Limits</i> , of this licence.
EMS	Environmental Management System. The aspect of the organisation’s overall management structure that addresses immediate and long-term impacts of its products, services and processes on the environment.

Environmental damage	As defined in Directive 2004/35/EC.
EPA	Environmental Protection Agency.
Evening Time	19:00hrs to 23:00hrs.
Facility	Any site or premises used for the purpose of the recovery or disposal of waste.
Farm	An installation as defined in Article 3(3) of Directive 2010/75/EU where pigs or poultry are reared.
Farrowing sows	Sows between the perinatal period and the weaning of the piglets.
Fattener:	A production pig of a weight greater than 60 kg.
Fortnightly	A minimum of 24 times per year, at approximately two-week intervals.
Freeboard	The difference in elevation between the maximum elevation of the slurry and the minimum elevation of the storage tank (i.e. the minimum spare vertical height between tank contents and point of over-topping).
Gestating sows	Pregnant sows, including gilts.
Groundwater	Has the meaning assigned to it by Regulation 3 of the European Communities Environmental Objectives (Groundwater) Regulations 2010 (S.I. No. 9 of 2010), as amended.
Grower:	A production pig in the weight range of 30 to 60 kg.
Hazardous Substances	Substances or mixtures as defined in Article 3 of Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures.
ha	Hectare.
Hours of operation	The hours during which the installation is authorised to be operational.
IE	Industrial Emissions.
IFI	Inland Fisheries Ireland.

Incident	<p>The following shall constitute an incident for the purposes of this licence:</p> <ul style="list-style-type: none">(i) an emergency;(ii) any emission which does not comply with the requirements of this licence;(iii) any malfunction or breakdown of key environmental abatement, control or monitoring equipment;(iv) any trigger level specified in this licence which is attained or exceeded;(v) any indication that environmental pollution has, or may have, taken place.
Industrial Emissions Directive	Directive 2010/75/EU of the European Parliament and of the Council of 24 November 2010 on industrial emissions (integrated pollution prevention and control) (Recast).
Installation	A stationary technical unit or plant where the activity concerned referred to in the First Schedule of EPA Act 1992 as amended, is or will be carried on, and shall be deemed to include any directly associated activity, which has a technical connection with the activity and is carried out on the site of the activity.
Intensive Pig and/or Poultry Unit	Activities which are required to hold an IE licence.
L_{Aeq,T}	This is the equivalent continuous sound level. It is a type of average and is used to describe a fluctuating noise in terms of a single noise level over the sample period (T).
L_{A,r,T}	The Rated Noise Level, equal to the L _{Aeq} during a specified time interval (T), plus specified adjustments for tonal character and/or impulsiveness of the sound.
Licensee	Mr. Eoin O'Brien, Ballintubbrid East, Carrigtwohill, County Cork.
List of Wastes (LoW)	A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 2014/955/EU, as amended by any subsequent amendment published in the Official Journal of the European Community.
Livestock	All animals kept for use or profit (including cattle, horses, pigs, poultry, sheep and any creature kept for the production of food, wool, skins or fur) as assigned to it by Regulation 4(1) of the European Union (Good Agricultural Practice for Protection of Waters) Regulations 2022 (S.I. 113 of 2022).
Local Authority	Cork County Council.
Maiden Gilt	A young female pig which has not yet gone through the rearing periods of mating, gestating and farrowing.

Maintain	Keep in a fit state, including such regular inspection, servicing, calibration and repair as may be necessary to perform its function adequately.
Manure	Animal faeces, urine, wash water and any associated feed or bedding.
Mating sows	Sows ready for service and before gestation.
Monthly	A minimum of 12 times per year, at intervals of approximately one month.
Night-time	23:00hrs to 07:00hrs.
Noise-sensitive location (NSL)	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other premises or area of high amenity which for its proper enjoyment requires the absence of noise at nuisance levels.
Odour-sensitive location	Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other premises or area of high amenity which for its proper enjoyment requires the absence of odour at nuisance levels.
Organic fertiliser	Any fertiliser other than that manufactured by industrial process and includes livestock manure, dungstead manure, farmyard manure, slurry, soiled water, silage effluent, non-farm organic substances such as sewage sludge, industrial by-products and sludges and residues from fish farms.
Owner/operator	IE licensee.
Pig	An animal of the porcine species of any age, kept for breeding or fattening.
Piglets	Pigs from birth to weaning.
Places for Sows	Places for female pigs after their first farrowing and places for gilts, (i.e., female pigs which have already been serviced, but have not yet farrowed).
Plant	A part of the farm where one of the following processes or activities is carried out: animal housing, manure storage, manure processing. A plant consists of a single building (or facility) and/or the necessary equipment to carry out processes or activities.
Potential emissions	Emissions which take place only under abnormal operating conditions. Examples include emissions from overpressure valves, bursting discs, and back-up generators.
Production Pig	Any pig over 30kg in weight which is being fattened for slaughter.

PRTR	Pollutant Release and Transfer Register.
Quarterly	All or part of a period of three consecutive months beginning on the first day of January, April, July or October.
Relevant Hazardous Substances	Those substances or mixtures defined within Article 3 of Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures (CLP Regulation) which, as a result of their hazardousness, mobility, persistence and biodegradability (as well as other characteristics), are capable of contaminating soil or groundwater and are used, produced and/or released by the installation.
SAC	Special Area of Conservation designated under the Habitats Directive, Council Directive 92/43/EEC of 21 May 1992 on the conservation of natural habitats and of wild fauna and flora.
Sample(s)	Unless the context of this licence indicates to the contrary, the term samples shall include measurements taken by electronic instruments.
Sanitary effluent	Wastewater from installation toilet, washroom and canteen facilities.
Soil	The top layer of the Earth's crust situated between the bedrock and the surface. The soil is composed of mineral particles, organic matter, water, air and living organisms.
SOP	Standard operating procedure.
Sows	Female pigs during the rearing periods of mating, gestating and farrowing.
SPA	Special Protection Area designated under the Birds Directive, Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds.
Specified emissions	Those emissions listed in <i>Schedule B: Emission Limits</i> of this licence.
Standard method	A National, European or internationally recognised procedure (e.g. I.S. EN, ISO, CEN, BS or equivalent); or an in-house documented procedure based on the above references; a procedure as detailed in the current edition of "Standard Methods for the Examination of Water and Wastewater" (prepared and published jointly by A.P.H.A., A.W.W.A. & W.E.F.), American Public Health Association, 1015 Fifteenth Street, N.W., Washington DC 20005, USA; or an alternative method as may be approved by the Agency.
Storm water	Rain water run-off from roof and non-process areas.
The Agency	Environmental Protection Agency.

Uisce Éireann	Uisce Éireann, Colvill House, 24/26 Talbot Street, Dublin 1.
Wash Water	Rainwater run-off commonly mixed with manure, water derived from the cleaning of surfaces (e.g. floors) and equipment and water derived from the operation of air cleaning systems.
Waste	Any substance or object which the holder discards or intends or is required to discard.
Water Services Authority	Cork County Council.
Weaners	Young pigs reared from weaning until fattening, typically reared from a live weight of around 8 kg to 30 kg.
Weekly	During all weeks of plant operation and, in the case of emissions, when emissions are taking place; with at least one measurement in any one week.

Decision & Reasons for the Decision

The Environmental Protection Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of this licence, any emissions from the activity will comply with and will not contravene any of the requirements of Section 83(5) of the Environmental Protection Agency Act 1992 as amended.

The Agency also considers that the activity will not adversely affect the integrity of any European Site, and has decided to impose conditions for the purposes of ensuring it does not do so. It has determined that the activity, if managed, operated and controlled in accordance with this licence, will not have any adverse effect on the integrity of any of those sites.

The Agency has applied the Commission Implementing Decision (CID) of 15/02/2017 establishing Best Available Techniques (BAT) Conclusions, under Directive 2010/75/EU of the European Parliament and of the Council for the intensive rearing of poultry or pigs as a reference when setting licence conditions.

The Agency accordingly proposes to grant a licence to Mr. Eoin O'Brien to carry on the activity listed in *Part I, Schedule of Activities Licensed*, subject to the conditions set out in *Part II Conditions*, **such licence to take effect in lieu of licence Register Number: P0790-02.**

In reaching this decision the Agency has considered the documentation relating to: **the existing licence, Register Number: P0790-02**; the review application, Register Number: P0790-03 and the supporting documentation received from the licensee; the submissions received; the Inspector's Report dated **18 May 2023**; and has carried out an Environmental Impact Assessment (EIA) and an Appropriate Assessment of the likely significant effects of the activity on European Sites. The Agency has performed its functions in a manner consistent with Section 15 of the Climate Action and Low Carbon Development Act 2015 as amended.

It is considered that the Inspector's Report contains a fair and reasonable examination, evaluation and analysis of the likely significant effects of the activity on the environment, and adequately and accurately identifies, describes and assesses those effects. The assessment as reported in this document is adopted as the assessment of the Agency. Having regard to this assessment, it is considered that the activity, if managed, operated and controlled in accordance with this licence will not result in the contravention of any relevant environmental quality standards or cause environmental pollution.

Having regard to the examination of environmental information in the Inspector's Report, and in particular to the content of the Environmental Impact Statement (EIS) and supplementary information provided by the licensee, and the submissions from the planning authorities, and any other third parties in the course of the application, and when supplemented by the Inspector's assessment as contained in the Inspector's Report, it is considered that the potential significant direct and indirect effects of the activity on the environment are as follows:

- Emissions to air;
- Noise emissions; and
- Accidental leakages or spills.

Having assessed those potential effects, the Agency has concluded as follows:

- emissions to air will be mitigated through: inclusion of abatement (including the use of low protein feed / frequent slurry removal to an external store); imposing emission limit values to comply with the CID; and implementing monitoring, maintenance and control measures;
- noise emissions will be mitigated through: imposing daytime, evening-time and night-time noise limits at noise-sensitive locations; and implementing monitoring, maintenance and control measures; and
- accidental leakages or spills will be mitigated through: inspection and maintenance of bunds and tanks; and accident and emergency requirements specified in this licence.

Having regard to the effects (and interactions) identified, described and assessed throughout the Inspector's Report, it is considered that the monitoring, mitigation and preventative measures proposed will enable the activity to operate without causing environmental pollution, subject to compliance with this licence.

The conditions of this licence and the mitigation measures will significantly reduce the likelihood of accidental emissions occurring and limit the environmental consequences of an accidental emission should one occur.

A screening for Appropriate Assessment was undertaken to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activity, individually or in combination with other plans or projects is likely to have a significant effect on any European Site. In this context, particular attention was paid to the European Sites at Ballymacoda Bay SPA (Site Code: 004023), Ballymacoda (Clonpriest & Pillmore) SAC (Site Code: 000077), Ballycotton Bay SPA (Site Code: 004022), Great Island Channel SAC (Site Code: 001058), Cork Harbour SPA (Site Code: 004030), Blackwater River (Cork/Waterford) SAC (Site Code: 002170) and Blackwater Estuary SPA (Site Code: 004028).

The activity is not directly connected with or necessary to the management of any European Site and the Agency considered, for the reasons set out below, that it cannot be excluded, on the basis of objective information, that the activity, individually or in combination with other plans or projects, will have a significant effect on any European Site and accordingly determined that an Appropriate Assessment of the activity was required, and for this reason determined to require the licensee to submit a Natura Impact Statement.

- Air emissions have been modelled by the Agency using a screen model (SCAIL Agriculture, <http://www.scail.ceh.ac.uk>). The model results indicated that the potential for significant adverse impact of emissions to air and their consequential potential impact on sensitive receptors cannot be ruled out due to elevated ammonia emissions at Ballymacoda Bay SPA and Ballymacoda (Clonpriest & Pillmore) SAC and due to elevated nitrogen deposition at Blackwater River (Cork/Waterford) SAC.

The Agency has completed the Appropriate Assessment of potential impacts on these sites and has made certain, based on best scientific knowledge in the field and in accordance with the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, pursuant to Article 6(3) of the Habitats Directive, that the activity, individually or in combination with other plans or projects, will not adversely affect the integrity of any European Site, in particular Ballymacoda Bay SPA, Ballymacoda (Clonpriest & Pillmore) SAC, Ballycotton Bay SPA, Great Island Channel SAC, Cork Harbour SPA, Blackwater River (Cork/Waterford) SAC and Blackwater Estuary SPA, having regard to their conservation objectives and will not affect the preservation of these sites at favourable conservation status if carried out in accordance with this licence and the conditions attached hereto for the following reasons:

- The installation is not located within a European site.
- The closest European site is approximately 7.9 km away.
- The storm water run-off from the roof and paved areas will be directed into two soakaways on-site. There will be no other direct discharge to surface waters or groundwater within the installation boundary.
- There is no surface water pathway connecting the installation to any European site.
- The storm water collection system will include a silt trap on all storm water lines draining paved areas prior to discharge of the storm water from the site.
- The risk of surface water or groundwater contamination because of accidental emissions during washing activities, or from spillage from the slurry tanks, is minimal, given the distance between the activity and a European site and given that there is no surface water pathway connecting the installation with a European Site.
- Waste generated on-site will be handled and stored in a manner which will ensure there is no risk to European sites and will only be sent to appropriately authorised facilities.
- Organic fertiliser (pig slurry) is and will be used as a fertiliser on farmlands in accordance with the Nitrates Regulations. The licence, if granted, relates to the site of the activity for which the licence application is made, i.e., the rearing of pigs within the installation boundary, and does not extend to

the lands beyond the installation boundary on which organic fertiliser may be used.

- Activities which can take place within European sites are restricted by legislation. All persons must obtain the written consent from the relevant Minister before performing particular operations on, or affecting, particular habitats where they occur on lands or waters within the SACs and SPAs.
- The closest European site is approximately 7.9 km south-east of the installation boundary (Ballymacoda Bay SPA) and is considered to be outside of the zone of influence of noise emissions arising at the installation.
- The installation is in a rural area where the predominant farming activities involve the rearing of livestock. There are no other licensed intensive pig or poultry rearing installations within a 5 km radius of the installation. There are two licensed food and drink installations within a 5 km radius of the installation. These installations are each required to operate in accordance with the conditions of an EPA licence.
- The licence review is for the re-development of parts of the site. The upgrade of this site and reviewed licence will lead to improved environmental standards and efficiencies.
- The licensee has proposed a number of mitigation measures which comply with BAT to minimise emissions of ammonia and therefore, nitrogen deposition at the designated sites.
- The licensee submitted a full site-specific air dispersion model as part of the completion of a NIS. The modelling concluded that process emissions from the proposed pig numbers at the installation will not contribute significantly to ammonia levels at European sites. The specific running components of the ventilation system will be controlled and conditioned in the RD as is the requirement for low protein feed (for all pig types except weaners) and frequent slurry removal from the animal houses.

The Agency is satisfied that no reasonable scientific doubt remains as to the absence of adverse effects on the integrity of those European Sites Ballymacoda Bay SPA, Ballymacoda (Clonpriest & Pillmore) SAC, Ballycotton Bay SPA, Great Island Channel SAC, Cork Harbour SPA, Blackwater River (Cork/Waterford) SAC and Blackwater Estuary SPA.

Part I Schedule of Activities Licensed

In pursuance of the powers conferred on it by the Environmental Protection Agency Act 1992 as amended, the Agency proposes to determine the review of the existing licence (P0790-02) granted to:

Mr. Eoin O'Brien, Ballintubbrid East, Carrigtwohill, County Cork.

under Section 90(2) of the said Act to carry on the following activity:

6.2: The rearing of pigs in an installation where the capacity exceeds –

- (a) 750 places for sows, or
- (b) 2,000 places for production pigs which are each over 30kg.

at Mogeely Pig Farm, Annistown, Killeagh, County Cork subject to the following twelve Conditions, with the reasons therefor and associated schedules attached thereto.

Part II Conditions

Condition 1. Scope

- 1.1 Industrial Emissions Directive activities at this installation shall be restricted to those listed and described in *Part I Schedule of Activities Licensed* and shall be as set out in the licence application or as modified under Condition 1.4 of this licence and subject to the conditions of this licence.
- 1.2 The licensee shall carry on the licensed activity in accordance with the limitations set out in *Schedule A: Limitations*, of this licence.
- 1.3 For the purposes of this licence, the installation authorised by this licence is the area of land outlined in **red** on Drawing No. **214037-05 Rev. C** titled **“Farm Structures/Tanks” received 01 October 2021 as part** of the application. Any reference in this licence to “installation” shall mean the area thus outlined in **red**. The licensed activity shall be carried on only within the area outlined.
- 1.4 No alteration to, or reconstruction in respect of, the activity, or any part thereof, that would, or is likely to, result in
- (i) a material change or increase in:
- the nature or quantity of any emission;
 - the abatement/treatment or recovery systems;
 - the range of processes to be carried out;
 - the fuels, raw materials, intermediates, products or wastes generated, or
- (ii) any changes in:
- site management, infrastructure or control with adverse environmental significance,
- shall be carried out or commenced without prior notice to, and without the approval of, the Agency.
- 1.5 The installation shall be controlled, operated and maintained, and emissions shall take place as set out in this licence. All programmes required to be carried out under the terms of this licence become part of this licence.
- 1.6 This licence is for the purpose of licensing under the EPA Act 1992 as amended only and nothing in this licence shall be construed as negating the licensee’s statutory obligations or requirements under any other enactments or regulations.
- 1.7 This licence shall have effect in lieu of the licence granted on 04 April 2012 (Register No P0790-02).

Reason: To clarify the scope of this licence.

Condition 2. Management of the Installation

- 2.1 Installation Management
- The licensee shall ensure that a person in charge, as defined under the terms of the Environmental Protection Agency Act 1992 as amended, shall be available on-site to meet with authorised persons of the Agency at all reasonable times.
- 2.2 Environmental Management System (EMS)
- 2.2.1 The licensee shall **establish, maintain and implement** an Environmental Management System (EMS), **within three months of the date of grant of this licence**. The EMS shall be reviewed for suitability, adequacy and effectiveness and updated on an annual basis.
- 2.2.2 The EMS shall include, as a minimum, the following elements:

- 2.2.2.1 A statement of the commitment, leadership and accountability of management, including senior management for the implementation of an effective EMS.
- 2.2.2.2 An environmental policy, defined by Management, that includes a commitment to continuous improvement of the environmental performance of the installation.
- 2.2.2.3 Management and Reporting Structure and responsibility for environmental aspects, including for the planning and provision of financial and human resources to manage and implement the EMS.
- 2.2.2.4 An analysis of the organisation's regulatory and environmental obligations, including the potential risks to the environment from the activity.
- 2.2.2.5 The procedures required by this licence, including procedures for:
- (i) ensuring compliance with environmental legislation;
 - (ii) ensuring employee awareness of and involvement in complying with environmental legislation; and
 - (iii) checking performance and developing performance indicators by sectoral benchmarking on a regular basis, including for energy efficiency.
- 2.2.2.6 Tracking the development of cleaner technologies.
- 2.2.2.7 Maintenance programmes.
- 2.2.2.8 Effective process control.
- 2.2.2.9 Maintenance of records.
- 2.2.2.10 Implementation of an odour management plan.
- 2.2.2.11 Schedule of Environmental Objectives and Targets
- The licensee shall **prepare, maintain and implement** a Schedule of Environmental Objectives and Targets. The schedule shall, as a minimum, provide for a review of all operations and processes, as referred to in the conditions of this licence, including an evaluation of practicable options for:
- (i) energy and resource efficiency;
 - (ii) the reduction in water consumption;
 - (iii) the use of cleaner technology, cleaner production;
 - (iv) odour management;
 - (v) the prevention, reduction and minimisation of waste including waste reduction targets;
 - (vi) the impacts from eventual decommissioning of the installation; and
 - (vii) a monitoring and measurement programme.
- The Schedule shall include time frames for the achievement of set targets and shall address a five-year period as a minimum. The Schedule shall be reviewed annually.
- 2.2.2.12 Documentation
- (i) The licensee shall **maintain and implement** an environmental management documentation system.
 - (ii) The licensee shall issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.
- 2.2.2.13 Corrective and Preventative Action

- (i) The licensee shall **maintain and implement** procedures to ensure that corrective and preventative action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for persons initiating further investigation and corrective and preventative action in the event of a reported non-conformity with this licence shall be defined.
- (ii) Where a breach of one or more of the conditions of this licence occurs, the licensee shall without delay take measures to restore compliance with the conditions of this licence in the shortest possible time and initiate any feasible preventative actions to prevent recurrence of the breach.
- (iii) All corrective and preventative actions shall be documented.

2.2.2.14 Internal Audits

The licensee shall **establish, maintain and implement** a programme for internal audits of the EMS. Such audits shall be carried out at least once every three years. The audit programme shall determine whether or not the EMS is being implemented and maintained properly, and in accordance with the requirements of this licence. Audit reports and records of the resultant corrective and preventative actions shall be maintained as part of the EMS in accordance with Condition 2.2.2.12.

2.2.2.15 Awareness, Training and Competence

The licensee shall **maintain and implement** procedures for identifying training needs, and for providing appropriate training, for all personnel whose work can have a significant effect upon the environment to ensure awareness and competence in their work area. Appropriate records of training shall be maintained.

2.2.2.16 Public Awareness and Communications Programme

The licensee shall **maintain and implement** a Public Awareness and Communications Programme to ensure that members of the public can obtain information at the installation, at all reasonable times, concerning the environmental performance of the installation.

2.2.2.17 Maintenance Programme

- (i) The licensee shall **establish, maintain and implement** a programme for maintenance of all plant and equipment based on the instructions issued by the manufacturer/supplier or installer of the equipment. Appropriate record keeping and diagnostic testing shall support this maintenance programme. The licensee shall clearly allocate responsibility for the planning, management and execution of all aspects of this programme to appropriate personnel (see Condition 2.1 above). The maintenance programme shall use appropriate techniques and measures to ensure the optimisation of energy efficiency in plant and equipment.
- (ii) The licensee shall maintain and repair concrete yards over which wash water may be directed, or organic fertiliser may be moved.

Reason: *To make provision for management of the activity on a planned basis having regard to the desirability of ongoing assessment, recording and reporting of matters affecting the environment.*

Condition 3. Infrastructure and Operation

- 3.1 The licensee shall ensure, at all times after the grant of this licence, that all infrastructure and all equipment required under this licence has been and is:
- (i) installed;
 - (ii) commissioned;
 - (iii) present on site; and
 - (iv) maintained in full working order.
- 3.2 Where any condition / schedule of this licence specifies any later deadline for installation of any piece of infrastructure or equipment, condition number 3.1, of this licence shall apply as and from the deadline specified.
- 3.3 The licensee shall establish and maintain, for each component of the installation, all infrastructure referred to in this licence prior to the date of commencement of the licensed activities in that component, or as required by the conditions of this licence. Infrastructure specified in the application that relates to the environmental performance of the installation and is not specified in this licence, shall be installed in accordance with the schedule submitted in the application.
- 3.4 The licensee shall have regard to the following when choosing and/or designing any new plant/infrastructure:
- (i) energy efficiency; and
 - (ii) the environmental impact of its construction/installation, maintenance, operation and eventual decommissioning.
- 3.5 The licensee shall use all the techniques listed in BAT 2 (good housekeeping) in order to prevent or reduce the environmental impact and improve overall performance of the installation.
- 3.6 Sampling Points
- 3.6.1 The licensee shall clearly label and provide safe and permanent access to all on-site sampling and monitoring points and to off-site points, as required by the Agency. With regard to off-site point(s), this requirement is subject to the prior agreement of the landowner(s) concerned.
- 3.6.2 The licensee shall provide and maintain inspection chambers at the outlets of the storm water drainage system or at locations approved by the Agency.
- 3.7 Tank, Container and Drum Storage Areas
- 3.7.1 All tank, container and drum storage areas shall be rendered impervious to the materials stored therein. Bunds shall be designed having regard to Agency guidelines 'Storage and Transfer of Materials for Scheduled Activities' (2004).
- 3.7.2 All tank and drum storage areas shall, as a minimum, be bunded, either locally or remotely, to a volume not less than the greater of the following:
- (i) 110% of the capacity of the largest tank or drum within the bunded area; or
 - (ii) 25% of the total volume of substance that could be stored within the bunded area.
- 3.7.3 All drainage from bunded areas shall be treated as contaminated unless it can be demonstrated to be otherwise.
- 3.7.4 All drainage from bunded areas shall be diverted for collection and safe disposal, unless it can be deemed uncontaminated.
- 3.7.5 All inlets, outlets, vent pipes, valves and gauges must be within the bunded area.
- 3.7.6 All tanks, containers and drums shall be labelled to clearly indicate their contents.
- 3.7.7 All bunds shall be uniquely identified and labelled at the bund.
- 3.7.8 The licensee shall apply a leak detection system to all larger storage tanks, container and drum storage areas that contain liquid material other than water.
- 3.8 The licensee shall have in storage an adequate supply of containment booms and/or suitable absorbent material to contain and absorb any spillage at the installation. Once used, the absorbent material shall be disposed of/recovered at an appropriate facility.

- 3.9 External slurry stores
- 3.9.1 The licensee shall provide and maintain external slurry stores.
- 3.9.2 Prior to any increase in animal numbers as limited by P0790-02, the licensee shall provide external slurry stores with a minimum combined capacity of 2,995 m³.**
- 3.10 The licensee shall provide a minimum of 26 weeks' storage of organic fertiliser on-site, or
- (i) have a contract providing exclusive access to adequate alternative storage capacity located outside the installation, or
- (ii) have a contract for the transfer of organic fertiliser to a treatment facility for livestock organic fertiliser, or
- (iii) have a contract for the transfer of the organic fertiliser to a person registered under and in accordance with the European Communities (Transmissible Spongiform Encephalopathies and Animal By-products) Regulations 2008 S.I. 252 of 2008, to undertake the transport of organic fertiliser.
- 3.11 Water metering and records
- 3.11.1 The licensee shall maintain a water meter on all water supplies serving the installation.
- 3.11.2 Records of water usage shall be maintained on site and a summary records report shall be submitted annually as part of the AER.
- 3.11.3 The licensee shall, in accordance with S.I. No. 261 of 2018 European Union (Water Policy) (Abstraction Registration) Regulation 2018, register with the Agency all water abstractions exceeding 25m³/day.
- 3.12 The licensee shall undertake annual maintenance of the animal house heating systems and the back-up generator.
- 3.13 All wellheads at the installation shall be adequately protected to prevent contamination or physical damage.
- 3.14 In the event of sanitary facilities being installed at the installation, the licensee shall, prior to their utilisation, provide and maintain a system for domestic wastewater collection and treatment. Any wastewater treatment system and percolation area shall satisfy the criteria set out in the *Code of Practice for Domestic Waste Water Treatment Systems (population equivalent ≤ 10)*, published by the Environmental Protection Agency.
- 3.15 The licensee shall establish, maintain and implement a rodent and pest control programme. This programme shall be in accordance with any relevant guidelines issued by the Department of Agriculture, Food and the Marine.

Reason: *To provide for appropriate operation of the installation to ensure protection of the environment.*

Condition 4. Interpretation

- 4.1 Noise
- Noise from the installation shall not give rise to sound pressure levels measured at the noise-sensitive locations (NSLs) which exceed the limit value(s).

Reason: *To clarify the interpretation of limit values fixed under this licence.*

Condition 5. Emissions

- 5.1 Emissions may be made from the specified emission points set out in *Schedule B: Emission Limits*, of this licence subject to compliance with the Emission Limit Values specified in that Schedule.
- 5.1.1 Uncontaminated storm water may be discharged to surface water.
- 5.1.2 Uncontaminated storm water may be emitted to groundwater or to soil.
- 5.1.3 Minor, diffuse and potential emissions may be emitted to air as specified in the application, or as approved by the Agency under Condition 1 of this licence.
- 5.2 Notwithstanding the requirements of Condition 5.1, there shall be no other emissions from the installation.
- 5.3 No emissions, including odours and dust, from the activities carried on at the site shall result in an impairment of, or an interference with amenities or the environment beyond the installation boundary or any other legitimate uses of the environment beyond the installation boundary.
- 5.4 The licensee shall ensure that all or any of the following:
- Vermin
 - Birds
 - Flies
 - Mud
 - Litter
- associated with the activity do not result in an impairment of, or an interference with, amenities or the environment at the installation or beyond the installation boundary or any other legitimate uses of the environment beyond the installation boundary. Any method used by the licensee to control or prevent any such impairment/interference shall not cause environmental pollution.
- 5.5 Ammonia Control
- 5.5.1 The licensee shall establish, maintain and implement an ammonia management programme outlining ammonia reduction measures, including timeframes for implementation, appropriate for the site, **within three months of the date of grant of this licence**.
- 5.5.2 The ammonia management programme shall be reviewed annually, and amendments thereto notified to the Agency as part of the AER. A report on the programme, including the success in meeting ammonia reduction on site, shall be prepared and submitted to the Agency as part of the AER.
- 5.5.3 The licensee shall in accordance with BAT 23, estimate or calculate the reduction of ammonia emissions from the whole production process using the BAT implemented at the installation. The estimated or calculated reductions shall be submitted to the Agency as part of the Annual Environmental Report (AER).

Reason: *To provide for the protection of the environment by way of control and limitation of emissions.*

Condition 6. Control and Monitoring

- 6.1 The licensee shall carry out such sampling, analyses, measurements, examinations, maintenance, calibrations and control techniques as set out below and as in accordance with *Schedule C: Control and Monitoring*, of this licence.
- 6.1.1 Sampling and analysis shall be undertaken by competent staff in accordance with documented operating procedures.
- 6.1.2 Such procedures shall be assessed for their suitability for the test matrix and performance characteristics shall be determined.
- 6.1.3 Such procedures shall be subject to a programme of Analytical Quality Control using appropriate control standards with evaluation of test responses.
- 6.1.4 Where any analysis is sub-contracted it shall be outsourced to a competent laboratory.

- 6.2 The licensee shall ensure that:
- (i) sampling and analysis for all parameters listed in the schedules to this licence; and
 - (ii) any reference measurements for the calibration of automated measurement systems
- shall be carried out in accordance with CEN-standards. If CEN standards are not available, ISO, national or international standards, which will ensure the provision of data of an equivalent scientific quality, shall apply.
- 6.3 The licensee shall ensure that groundwater monitoring well sampling equipment is available/installed on-site and is fit for purpose at all times. The sampling equipment shall be to Agency specifications.
- 6.4 Monitoring and analysis equipment shall be installed, operated and maintained as necessary so that all monitoring results accurately reflect any emission, discharge or parameter specified in this licence.
- 6.5 All abatement and emission control equipment shall be calibrated and maintained in accordance with the instructions issued by the manufacturer/supplier or installer.
- 6.6 The frequency, methods and scope of monitoring, sampling and analyses, as set out in this licence, may be amended as required or approved by the Agency following evaluation of test results.
- 6.7 The integrity and water tightness of all tanks, bunding structures, containers and underground pipes and their resistance to penetration by water or other materials carried or stored therein shall be tested and demonstrated by the licensee.
- 6.7.1 In the case of new bunding structures, tanks, underground pipelines and containers installed on site, the testing for integrity and water tightness shall be undertaken in advance of utilisation.
 - 6.7.2 Testing shall be carried out by a suitably qualified and experienced person.
 - 6.7.3 Testing shall be carried out in accordance with any guidance published by the Agency.
 - 6.7.4 Testing shall be carried out at least once every three years thereafter and reported to the Agency on each occasion.
 - 6.7.5 Any repairs required to ensure the integrity and water tightness of tanks, bunding structures, containers and underground pipes shall be carried out as soon as practicable.
 - 6.7.6 A written record of all integrity tests and any maintenance or remedial work arising from them shall be maintained by the licensee.
- 6.8 The licensee shall ensure that all organic fertiliser generated on-site is stored in a manner which does not pollute ground or surface waters.
- 6.9 Storm Water
- 6.9.1 A visual examination of the storm water discharge shall be carried out weekly.
 - 6.9.2 The licensee shall, **within three months of the date of grant of this licence**, provide and maintain silt traps at the installation to ensure that all storm water discharges from the hardstanding areas of the installation, pass through the silt trap in advance of discharge.
 - 6.9.3 The storm water drainage system (i.e., gullies, manholes, any visible drainage conduits and such other aspects as may be required by the Agency), bunds, silts traps, shall be inspected weekly, desludged as necessary, and properly maintained at all times. All sludge and drainage from these operations shall be collected for safe disposal.
 - 6.9.4 The licensee shall maintain a drainage map on site. The drainage map shall be reviewed annually and updated as necessary.
 - 6.9.5 The licensee shall maintain a rainwater collection and drainage system for all pig housing on-site.
 - 6.9.6 The licensee shall divert all uncontaminated storm water run-off from roofs and non-contaminated impervious areas of the site, to the storm water drainage system.
- 6.10 Wash water

- 6.10.1 The licensee shall use a combination of the techniques listed in BAT 6 in order to reduce the generation of wash water on site.
- 6.10.2 The licensee shall use one or a combination of the techniques listed in in BAT 7 in order to reduce emissions to water from wash water.
- 6.11 The licensee shall calculate and record the quantity of organic fertiliser stored on-site on the 1st January annually. The licensee shall maintain the record on-site and the record shall be available for inspection by authorised persons, including Agency personnel.
- 6.12 The licensee shall ensure that a freeboard of at least 200 mm from the top of each covered organic fertiliser storage tank and 300 mm from the top of each uncovered organic fertiliser storage tank is maintained, as a minimum, at all times. The required freeboard shall be clearly indicated in the tank.
- 6.13 Underground, partly underground or overground storage facilities shall conform to the Department of Agriculture, Food and the Marine specifications (S108, S123) or equivalent standard.
- 6.14 Where overground storage facilities are utilised, the licensee shall, to the approval of the Agency-
- (i) provide tanks with two lockable valves in line;
 - (ii) provide an appropriate reception pit with level alarm;
 - (iii) provide an external safety ladder and railed platform to facilitate inspection;
 - (iv) undertake measures as necessary for the protection of tanks from damage by vehicles or trailers; and
 - (v) provide a partial earthen bund to ensure sufficient protection of the clean water outfall in the event of tank overflow, collapse or leakage.
- 6.15 The licensee shall use one of the techniques listed in BAT 24 in order to monitor the total nitrogen and total phosphorus excreted in manure annually. The estimated or calculated amounts shall be submitted to the Agency as part of the Annual Environmental Report (AER).
- 6.16 Dust
- The licensee shall use one or a combination of the techniques listed in BAT 11 in order to prevent, or where that is not practicable, to reduce dust emissions from each animal house.
- 6.17 Noise
- 6.17.1 The licensee shall carry out a noise survey of the site operations, as required by the Agency. The survey programme shall be undertaken in accordance with the methodology specified in the '*Guidance Note for Noise: Licence Applications, Surveys and Assessments in Relation to Scheduled Activities (NG4)*' as published by the Agency.
- 6.17.2 The licensee shall use one or a combination of the techniques listed in BAT 10 in order to prevent, or where that is not practicable, to reduce noise emissions.
- 6.18 Odour
- 6.18.1 The licensee shall carry out an odour survey of the site operations in response to any odour complaint or as required by the Agency.
- 6.18.2 The survey programme shall be undertaken in accordance with the methodology specified in the '*Air Guidance Note 5 (AG5) Odour Impact Assessment Guidance for EPA Licensed Sites*' as published by the Agency.
- 6.19 Odour Control
- 6.19.1 The licensee shall use a combination of the techniques listed in BAT 13 in order to prevent, or where that is not practicable, to reduce odour emissions and/or odour impact.
- 6.19.2 Odour Management Plan
- 6.19.2.1 The Licensee shall maintain and implement, to the satisfaction of the Agency, and Odour Management Plan (in accordance with BAT).
 - 6.19.2.2 The plan shall outline odour reduction and abatement measures, in order to prevent or, where that is not practicable, to reduce odour emissions, as part of the

environmental management system, that includes the elements identified in BAT 12 (Odour emissions).

6.19.2.3 The plan shall be prepared in accordance with the Agency's *Odour Emissions Guidance Note (Air Guidance Note AG9)*.

6.19.2.4 The plan shall be reviewed annually, or more frequently, within a specified timeframe, if required by the Agency.

6.19.2.5 Where odour impacts occur following implementation of Conditions 6.19.1 and 6.19.2 and where the licensee is non-compliant with Condition 5.3, one or all of the following shall be implemented to the satisfaction of the Agency:

- (i) an appropriate reduction / alteration in stock numbers; and/or
- (ii) installation of technology solutions to collect and treat odorous gases.

6.20 Pollutant Release and Transfer Register (PRTR)

The licensee shall submit a PRTR data report for the site. The pollutants and/or wastes to be included in the PRTR shall be determined by reference to EC Regulations No. 166/2006 concerning the establishment of a European Pollutant Release and Transfer Register. The PRTR shall be prepared in accordance with any relevant Agency guidance and shall be submitted electronically in the format specified by the Agency.

6.21 Slurry Storage

6.21.1 The licensee shall use the following techniques, as listed in BAT 16 (Emissions from slurry storage), in all of the external slurry stores on-site:

- (i) The licensee shall ensure that slurry, within the external slurry stores, shall not be stirred until immediately prior to emptying; and
- (ii) The licensee shall ensure that all external slurry stores include a rigid cover **within three months of the date of grant of licence for existing stores, and prior to utilisation for new stores.**

The techniques listed above can be varied, with the approval of the Agency, subject to no net increase in emissions from the installation and compliance with BAT 16.

6.21.2 The licensee shall use a combination of the techniques listed in BAT 18 to prevent emissions to soil and water from slurry collection, piping and storage.

6.22 Ammonia Emissions from Pig Houses (BAT 30)

6.22.1 Frequent slurry removal to external storage

6.22.1.1 The licensee shall ensure that animal housing is constructed so as to use the following technique, as listed in BAT 30 (Ammonia emissions from pig houses), in all of the animal houses on-site:

- (i) A vacuum system for frequent slurry removal to external storage.

The technique listed above can be varied, with the approval of the Agency, subject to no net increase in ammonia emissions from the installation.

6.22.1.2 The licensee shall, using a vacuum system, remove slurry from the slurry storage tanks beneath the animal houses to external storage, at least fortnightly when the animal houses are stocked, subject to the requirement of conditions 6.22.1.3 and 6.22.1.4.

6.22.1.3 Notwithstanding the requirements of Condition 6.22.1.2 above, the frequency of slurry removal may be reduced where the slurry level is 500 mm or less.

6.22.1.4 A maximum slurry level of 800 mm, in the slurry storage tanks beneath the animal houses, shall not be exceeded.

- 6.22.1.5 The licensee shall ensure that the maximum 800 mm depth in the slurry storage tanks beneath the animal houses shall be clearly indicated and visible in the tanks.
- 6.22.1.6** The licensee shall install and maintain slurry level indicator alarms set for 500 mm depth and 750 mm depth in the slurry storage tanks beneath the animal houses **within three months of the date of grant of licence for existing tanks and prior to utilisation for new tanks.**
- 6.22.1.7 The requirements of Conditions 6.22.1.1, 6.22.1.2, 6.22.1.3, 6.22.1.4, 6.22.1.5 and 6.22.1.6 apply to each chamber within the slurry storage tanks.
- 6.23 Nutritional Management
- 6.23.1 The licensee shall ensure that a diet formulation and nutritional strategy is used to reduce the total nitrogen excreted using the following techniques given in BAT 3.
- (i) Reduce the crude protein content in the animal feed in accordance with the limitations set out *Schedule C: Control and Monitoring*, of this licence.
- (ii) Multiphase feeding with a diet formulation adapted to the specific requirements of the production period.
- 6.23.2 The licensee shall ensure that a diet formulation and nutritional strategy is used to reduce the total phosphorus excreted using one or a combination of the techniques given in BAT 4.

Reason: *To provide for the protection of the environment by way of treatment and monitoring of emissions.*

Condition 7. Resource Use and Energy Efficiency

- 7.1 The licensee shall carry out an audit of the energy efficiency of the site, as required by the Agency. The audit shall be carried out in accordance with the guidance published by the Agency, “*Guidance Note on Energy Efficiency Auditing*”.
- 7.2 The audit shall identify all practical opportunities for energy use reduction and efficiency and the recommendations of the audit shall be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.
- 7.3 The licensee shall use a combination of the techniques listed in BAT 8 (Efficient use of energy), to ensure that energy is used efficiently.
- 7.4 The licensee shall identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible. Reductions in water usage shall be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.
- 7.5 The licensee shall use a combination of the techniques listed in BAT 5 (Efficient use of water), in order to use water efficiently.
- 7.6 The licensee shall undertake an assessment of the efficiency of use of materials, including feeds and organic fertiliser, in all processes, having particular regard to the reduction in waste generated. The assessment should take account of best international practice for this type of activity. Where improvements are identified, these shall be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2 above.

Reason: *To provide for the efficient use of resources and energy in all site operations.*

Condition 8. Materials Handling

- 8.1 The licensee shall ensure that waste generated in the carrying on of the activity shall be prepared for re-use, recycling or recovery or, where that is not technically or economically possible, disposed of in a manner which will prevent or minimise any impact on the environment.
- 8.2 All waste that is not reused on site shall be sent off-site to an authorised facility for disposal or recovery or reuse.
- 8.3 Waste sent off-site
- 8.3.1 Waste sent off-site for recovery or disposal shall be transported only by an authorised waste contractor or an exempted person (Waste Management (Collection Permit) Regulations 2007 as amended).
- 8.3.2 Waste shall be transported from the site of the activity to the site of recovery/disposal only in a manner which will not adversely affect the environment and in accordance with the appropriate National and European legislation and protocols.
- 8.3.3 Animal tissue or carcasses sent off site for disposal/recovery shall be transported in covered, leak-proof containers.
- 8.3.4 Waste sent off-site for recovery or disposal shall be transferred only to an appropriate facility.
- 8.4 The loading and unloading of materials, including organic fertiliser, shall be carried out in designated areas protected against spillage and leachate run-off.
- 8.5 Waste and materials shall be stored in designated areas, protected as may be appropriate against spillage and leachate run-off. The waste and materials shall be clearly labelled and appropriately segregated.
- 8.6 Unless approved in writing, in advance, by the Agency the licensee is prohibited from mixing a hazardous waste of one category with a hazardous waste of another category or with any other non-hazardous waste.
- 8.7 The licensee shall neither import waste into the State nor export waste out of the State except in accordance with the relevant provisions of Regulation (EC) No 1013/2006 of the European Parliament and of the Council of 14th June 2006 on shipments of waste and associated national regulations.
- 8.8 Animal tissue or carcasses stored on-site pending disposal shall be placed in covered, leak-proof containers and shall at a minimum be removed fortnightly.
- 8.9 Organic Fertiliser
- 8.9.1 Organic fertiliser shall only be stored in the slurry tanks beneath the animal houses and the designated slurry stores.
- 8.9.2 Any organic fertiliser spilled during loading shall be collected and returned to storage or to the vehicle into which it was being loaded.
- 8.9.3 There shall be no landspreading of organic fertiliser at the installation.
- 8.10 Organic Fertiliser Movements
- 8.10.1 The licensee shall record all organic fertiliser movements off-site in an 'organic fertiliser register' which shall be available for inspection on-site by authorised persons.
- 8.10.2 The licensee shall maintain an 'organic fertiliser register' to the satisfaction of the Agency, showing, as a minimum the name, herd number of the customer farmer receiving organic fertiliser, quantity of organic fertiliser, date of movement off-site, and details in accordance with Article 23 of S.I. No. 113 of 2022 European Union (Good Agricultural Practice for Protection of Waters) Regulations 2022 and as otherwise specified by the Agency or Department of Agriculture, Food and the Marine.
- 8.10.3 The licensee shall, on or before the 31st December annually, submit to the Department of Agriculture, Food and the Marine the completed records of movement of organic fertiliser

from the installation (referred to as 'Record 3' by the Department of Agriculture, Food and the Marine). The record shall be in accordance with Article 23 of S.I. No. 113 of 2022 European Union (Good Agricultural Practice for Protection of Waters) Regulations 2022 and as otherwise specified by the Agency or Department of Agriculture, Food and the Marine. A copy of the record submitted shall be maintained on site for inspection.

8.10.4 The licensee shall calculate and record by the 31st of January annually:

- (a) The quantity of organic fertiliser generated by the animals housed on-site in the previous calendar year;
- (b) The total quantity of organic fertiliser moved off site and recorded in the organic fertiliser register and 'Record 3' as submitted to the Department of Agriculture, Food and the Marine in the previous calendar year;
- (c) The opening quantity of organic fertiliser (1st January of the previous year) and closing quantity of organic fertiliser (1st January of the current year).

The details shall be submitted to the Agency as part of the AER.

8.11 Recovery / disposal of organic fertiliser by means other than use as a fertiliser

8.11.1 Where organic fertiliser is not used as a fertiliser, the licensee shall by the first of February each year submit details of all proposed recipients of organic fertiliser for recovery/disposal. Details required shall include method of recovery/disposal, location of recovery/disposal facility, permit/authorisation for recovery/disposal facility, and quantities to be accepted by the recipient.

8.11.2 Recovery/disposal of organic fertiliser shall take place only at recovery/disposal facilities which have appropriate authorisation.

Reason: *To provide for the appropriate handling of material and the protection of the environment.*

Condition 9. Accident Prevention and Emergency Response

9.1 The licensee shall ensure that a documented Accident Prevention Procedure is in place that addresses the hazards on-site, particularly in relation to the prevention of accidents with a possible impact on the environment. This procedure shall be reviewed annually and updated as necessary.

9.2 The licensee shall ensure that a documented Emergency Response Procedure is in place, that addresses any emergency situation which may originate on-site. This procedure shall include provision for minimising the effects of any emergency on the environment. This procedure shall be reviewed annually and updated as necessary.

9.3 Incidents

9.3.1 In the event of an incident the licensee shall immediately:

- (i) carry out an investigation to identify the nature, source and cause of the incident and any emission arising therefrom;
- (ii) isolate the source of any such emission;
- (iii) evaluate the environmental pollution, if any, caused by the incident;
- (iv) identify and execute measures to minimise the emissions/malfunction and the effects thereof;
- (v) identify the date, time and place of the incident; and
- (vi) notify the Agency as required by Condition 11.4 of this licence.

9.3.2 Where an incident or accident that significantly affects the environment occurs, the licensee shall without delay take measures to limit the environmental consequences of the incident or accident and to prevent further incident or accident.

Reason: *To provide for the protection of the environment.*

Condition 10. Decommissioning & Residuals Management

- 10.1 Following termination, or planned cessation for a period greater than six months, of use or involvement of all or part of the site in the licensed activity, the licensee shall, to the satisfaction of the Agency, decommission, render safe or remove for disposal/recovery any soil, subsoil, buildings, plant or equipment, or any waste, materials or substances or other matter contained therein or thereon, that may result in environmental pollution.

Reason: *To make provision for the proper closure of the activity ensuring protection of the environment.*

Condition 11. Notification, Records and Reports

- 11.1 The licensee shall submit the reports, proposals and submissions required by this licence by the deadlines specified. The licensee shall not be in compliance with the requirements of this condition unless and until it has submitted every report, proposal and submission, the deadline for which has passed.
- 11.2 The licensee shall carry out every action required by the Agency, and arising out of such reports, proposals or submissions, by such deadline as the Agency may specify. The licensee shall not be in compliance with the requirements of this condition unless and until it has carried out every such action.
- 11.3 The licensee shall identify the technique, or combination of techniques where required, used for each BAT referenced in the applicable CIDs. The licensee shall prepare a report setting out the selected technique(s) used and submit this report as part of the AER.
- 11.4 The licensee shall notify the Agency, in a format as may be specified by the Agency, as soon as practicable after the occurrence of any of the following:
- (i) an incident or accident as defined by the glossary; or
 - (ii) any breach of one or more of the conditions attached to this licence.
- The licensee shall include as part of the notification, date and time of the incident, summary details of the occurrence, and where available, the steps taken to minimise any emissions. All details required to be communicated must be in accordance with any guidance provided by the Agency.
- 11.5 The following shall be notified, as soon as practicable after the occurrence of any incident which relates to a discharge to water:
- 11.5.1 Inland Fisheries Ireland in the case of discharges to receiving waters.
 - 11.5.2 Uisce Éireann and /or Water Services Authority, in the case of any incident where the discharge(s) have been identified as upstream of a drinking water abstraction point.
 - 11.5.3 The local authority, in the case of discharges to designated bathing waters.
- 11.6 The licensee shall make a record of any notification made under Condition 11.4 above. This record shall include details of the nature, extent, and impact of, and circumstances giving rise to, the incident or accident. The record shall include all corrective actions taken to manage the incident or accident, minimise wastes generated and the effect on the environment, and avoid recurrence. In the case of a breach of a condition, the record shall include measures to restore compliance.
- 11.7 The licensee shall record all complaints of an environmental nature related to the operation of the activity. Each such record shall give details of the date and time of the complaint, the name of the complainant (if provided), and give details of the nature of the complaint. A record shall also be kept of the response made in the case of each complaint.

- 11.8 The licensee shall record all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the installation.
- 11.9 The licensee shall submit to the Agency, annually, or as otherwise approved by the Agency,
- 11.9.1 An AER covering the previous calendar year, which shall be;
- (i) To the satisfaction of the Agency and include as a minimum the information specified in *Schedule D: Annual Environmental Report*, of this licence,
 - (ii) Prepared in accordance with any relevant guidelines issued by the Agency, and
 - (iii) Submitted by the 31st March of each year.
- 11.9.2 The results of all emission monitoring carried out in accordance with the requirements of this licence; including an assessment and interpretation of the results.
- 11.10 A full record, which shall be open to inspection by authorised persons of the Agency at all times, shall be kept by the licensee on matters relating to the waste management operations and practices at this site. This record shall be as a minimum contain details of the following:
- (i) the tonnages and LoW Code for the waste sent off-site for disposal/recovery;
 - (ii) the names of the agent and carrier of the waste, and their waste collection permit details, if required (to include issuing authority and vehicle registration number);
 - (iii) details of the ultimate disposal/recovery destination facility for the waste and its appropriateness to accept the consigned waste stream, to include its permit/licence details and issuing authority, if required;
 - (iv) written confirmation of the acceptance and disposal/recovery of any hazardous waste consignments sent off-site;
 - (v) details of all waste consigned abroad for Recovery and classified as 'Green' in accordance with the EU Shipment of Waste Regulations (Council Regulation EEC No. 1013/2006, as may be amended). The rationale for the classification must form part of the record;
 - (vi) details of any rejected consignments;
 - (vii) details of any approved waste mixing; and
 - (viii) the results of any analyses as required by the Agency.
- 11.11 The licensee shall as a minimum ensure that the following documents are accessible at the site:
- (i) the licences relating to the installation;
 - (ii) the current EMS for the installation including all associated procedures, reports, records and other documents;
 - (iii) the previous year's AER for the installation;
 - (iv) records of all sampling, analyses, measurements, examinations, calibrations and maintenance carried out in accordance with the requirements of this licence and all other such monitoring which relates to the environmental performance of the installation;
 - (v) relevant correspondence with the Agency;
 - (vi) up-to-date site drawings/plans showing the location of key process and environmental infrastructure, including monitoring locations and discharge points;
 - (vii) up-to-date Standard Operational Procedures for all processes, plant and equipment necessary to give effect to this licence or otherwise to ensure that standard operation of such processes, plant or equipment does not result in unauthorised emissions to the environment; and
 - (viii) any elements of the licence application or EIA documentation referenced in this licence.
- This documentation shall be available to the Agency for inspection at all reasonable times.
- 11.12 The licensee shall maintain the following records:
- (i) register of pig stock levels;
 - (ii) dead pig disposal;
 - (iii) floor plan;

- (iv) weekly water consumption;
- (v) electric energy consumption;
- (vi) fuel consumption;
- (vii) feed delivery records (including crude protein as a % of feed) and details of feed consumption;
- (viii) organic fertiliser (slurry) generation;
- (ix) fortnightly organic fertiliser (slurry) levels of tanks beneath the animal houses;
- (x) organic fertiliser (slurry) removal events from tanks beneath the animal houses to external stores or directly off site;
- (xi) commercial documents for the transport of animal by-products or derived product, as required by the Animal By-product Regulations, sent off site, unless a derogation is applicable;
- (xii) rodent control programme including bait point plan and bait replenishment;
- (xiii) storm water inspection records and test reports;
- (xiv) groundwater monitoring results;
- (xv) heating systems and back-up generator maintenance certificates;
- (xvi) hours of operation and reason for operation of back-up generator;
- (xvii) safety statement;
- (xviii) emergency action plan; and
- (xix) chemical inventory and usage.

These records shall be available for inspection by authorised persons of the Agency at all reasonable times.

- 11.13 The licensee shall submit report(s) electronically as required by the conditions of this licence to the Agency.
- 11.14 All reports shall be certified accurate and representative by the installation manager or a nominated, suitably qualified and experienced deputy.

Reason: *To provide for the collection and reporting of adequate information on the activity.*

Condition 12. Financial Charges and Provisions

12.1 Agency Charges

12.1.1 The licensee shall pay to the Agency an annual contribution of **€3,153**, or such sum as the Agency from time to time determines, having regard to variations in the extent of reporting, auditing, inspection, sampling and analysis or other functions carried out by the Agency, towards the cost of monitoring the activity as the Agency considers necessary for the performance of its functions under the Environmental Protection Agency Act 1992 as amended. The licensee shall pay to the Agency such revised annual contribution as the Agency shall from time to time consider necessary to enable performance by the Agency of its relevant functions under the Environmental Protection Agency Act 1992 as amended, and all such payments shall be made within one month of the date upon which demanded by the Agency.

12.1.2 In the event that the frequency or extent of monitoring or other functions carried out by the Agency needs to be increased, the licensee shall contribute such sums as determined by the Agency to defray its costs in regard to items not covered by the said annual contribution.

12.2 Environmental Liabilities

- 12.2.1 The licensee shall submit to the Agency an annual statement to the satisfaction of the Agency as to the measures taken or adopted at the site, in relation to the prevention of environmental damage, for remedial actions following closure/decommissioning or accidents/incidents, as may be associated with the carrying on of the activity.
- 12.2.2 The licensee shall have regard to the Environmental Protection Agency's Guidance on Assessing and Costing Environmental Liabilities (2014) and, as appropriate, Guidance on Financial Provision for Environmental Liabilities (2015) when implementing Condition 12.2.1 above.
- 12.2.3 The Agency may amend this licence at any time in certain circumstances in accordance with Section 96 of the Environmental Protection Agency Act 1992 as amended to require, or not require as the case may be, the putting in place of a financial provision to incorporate costings for CRAMP and/or Environmental Liabilities Risk Assessment. This amendment may be implemented by the Agency in the event of an incident that creates a significant residual environmental liability or where the environmental risk profile, changes on site.

Reason: *To provide for adequate financing for monitoring and financial provisions for measures to protect the environment.*

SCHEDULE A: Limitations

A.1 Animal numbers housed at the installation

Animal Class	Numbers
Farrowing Sows	450
Dry Sows & Served Gilts	1050
Weaners	6,000
Production Pigs ^{Note 1}	12,410

Note 1: Includes growers, finishers, boars and maiden gilts.



SCHEDULE B: Emission Limits

B.1 Emission Limits for ammonia emissions to air from each animal house

Emission Point Reference No: Animal Houses

Source Of Emissions	Parameter	Emission Limit ^{Note 1 and 2}
Farrowing sows (including piglets)	Ammonia (as NH ₃)	3.36 kg NH ₃ / animal place/ year
Dry Sows	Ammonia (as NH ₃)	1.73 kg NH ₃ / animal place/ year
Served Gilt	Ammonia (as NH ₃)	1.73 kg NH ₃ / animal place/ year
Weaners	Ammonia (as NH ₃)	0.22 kg NH ₃ / animal place/ year
Growers (production pigs 30 – 60 kg)	Ammonia (as NH ₃)	0.91 kg NH ₃ / animal place/ year
Fatteners (production pigs > 60 kg) ^{Note 3}	Ammonia (as NH ₃)	2.38 kg NH ₃ / animal place/ year

Note 1: BAT-AELs are assigned in accordance with BAT 30 and based on the ammonia modelling provided as part of the application, received **27 October 2022**.

Note 2: The limits listed can be varied, with the approval of the Agency, subject to no net increase in ammonia emissions from the installation.

Note 3: Includes finishers, boars and maiden gilts.



B.2 Emissions to Water

There shall be no emissions to water of environmental significance.



B.3 Emissions to Sewer

There shall be no process effluent emissions to sewer.



B.4 Noise Emissions

Daytime dB LAr, T (30 minutes)	Evening dB LAr, T (30 minutes)	Night-time dB LAeq, T (30 minutes) ^{Note 1}
55	50	45

Note 1: During night time hours, there shall be no clearly audible tonal component or impulsive component in the noise emission from the activity at any noise-sensitive location.

**SCHEDULE C: Control and Monitoring****C.1.1. Control and Monitoring of Emissions to Air**

Description of point of measurement: **Animal Houses**

Parameter	Monitoring Frequency	Monitoring/ Method / Technique ^{Note 3}	Analysis ^{Note 3}
Ammonia ^{Note 1}	Annually ^{Note 2}	Refer to BAT 25	
Dust	Annually	Refer to BAT 27	

Note 1: Monitoring to be undertaken for each animal category except where BAT 25(b) is applied.

Note 2: Where BAT 25(b) is applied, monitoring frequency will be at least annually, but will also be required where there are significant changes to the type of livestock reared.

Note 3: The monitoring technique applied may be varied subject to approval by the Agency.




C.1.2. Control and Monitoring of Ventilation Systems in the Animal HousesDescription of control measure: **Animal house ventilation system** ^{Note 1 and 2}

Animal house No. ^{Note 3}	Minimum stack height (m)	No. of fans and type	Stack diameter (m)	Volume flow rate (m ³ /s)
FS1	7.1	3 x BD-FF063 6DT	0.63	3.39
		3 x BD-FF063 Zit (S)		4.25
FS2	7.1	12 x Skov DA600	0.6	3.39
FS3	7.1	4 x BD-FF063 6DT	0.63	3.39
		4 x BD-FF063 Zit (S)		4.25
FS4	7.1	3 x BD-FF063 6DT	0.63	3.39
		3 x BD-FF063 Zit (S)		4.25
FS5	7.1	3 x Skov DA600	0.6	3.39
FS6	7.1	3 x BD-FF063 6DT	0.63	3.39
		3 x BD-FF063 Zit (S)		4.25
FS7	7.1	6 x Skov DA600	0.6	3.39
FS8	7.1	6 x Skov DA600	0.6	3.39
FS9	7.1	14 x BD-FF063 Zit (S)	0.63	4.25
FS10	7.4	24 x BD-FF091	0.91	6.39
FS11	7.4	16 x BD-FF091	0.91	6.39
FS12	7.4	12 x BD-FF091	0.91	6.39

Note 1: The licensee shall ensure that the specifications listed above are met and monitored, at all times, when the animal houses are stocked.

Note 2: The specifications listed above can be varied, with the approval of the Agency, subject to air dispersion modelling by the licensee.

Note 3: Animal house numbers as per Drawing No. 214037-05 Rev. C titled "Farm Structures/Tanks" received 01 October 2021, as part of the application.



C.1.3. Crude Protein Limits for animal feed for each animal category**Description of point of measurement:** Animal Feed

Category of Pig	Parameter	Crude Protein Limit ^{Note 1 and 2}
Sows ^{Note 3}	Crude Protein (as % of feed)	16 %
Weaners	Crude Protein (as % of feed)	No limit
Production pigs ^{Note 4}	Crude Protein (as % of feed)	16 %

Note 1: Crude protein limits are assigned in accordance with BAT 3 and in accordance with the ammonia modelling provided by the licensee as part of the application, received **27 October 2022**.

Note 2: The limits listed can be amended, with the approval of the Agency, subject to no net increase in odour and ammonia emissions from the installation.

Note 3: Includes farrowing sows, dry sows and served gilts.

Note 4: Includes growers, finishers, boars and maiden gilts.

**C.1.4. Control and Analysis of Crude Protein content of animal feed****Description of point of measurement:** Animal feed

Parameter	Analysis Frequency	Analysis Technique ^{Note 1}
Crude Protein (as % of feed)	Each consignment of feed received	Data to be obtained from feed manufacturer/supplier
Other	As approved by the Agency	As approved by the Agency


Note 1: Analysis to be provided for each animal category.

**C.2.1. Control of Emissions to Water**

There shall be no emissions to water of environmental significance.

**C.2.2. Monitoring of Emissions to Water**


There shall be no emissions to water of environmental significance.



C.2.3. Monitoring of Storm Water Discharges

Discharge Point Reference No: SW1 (197427,076508)
SW2 (197306,076446)

Parameter	Monitoring Frequency	Analysis Method/Technique
BOD or COD	Quarterly	Standard method
Visual Inspection	Weekly	Sample and examine for colour and odour.

**C.2.4. Monitoring of Tank Leak Detection Inspection Chambers**

Emission Point Reference No: Location and reference numbers for all leak detection inspection chambers to be submitted to the Agency. ^{Note 1}


Parameter	Monitoring Frequency ^{Note 2}	Analysis Method/Technique
BOD or COD	Biannually	Standard method
Visual Inspection	Weekly	Sample and examine for colour and odour.

Note 1: The licensee shall submit an updated site layout plan, showing the location and reference numbers of all leak detection **upon installation of the proposed tanks.**

Note 2: Monitoring to commence on the date of grant of licence for existing tanks and on the date the tanks associated with the chambers first come into use for new tanks.

**C.3.1. Control of Emissions to Sewer**

There shall be no process effluent emissions to sewer.


**C.3.2. Monitoring of Emissions to Sewer**

There shall be no process effluent emissions to sewer.



C.4.1 Organic Fertiliser Monitoring

Class	Frequency	Parameter
Organic Fertiliser	Monthly	Available storage capacity as pf the 1 st of the month


**C.4.2 Organic Fertiliser Process Monitoring**Emission Point Reference No: **Animal Houses**

Source of Emissions	Parameter	BAT-associated total nutrient excreted levels ^{Note 1}	Monitoring Frequency	Monitoring standard or method
Sows (including piglets)	Nitrogen	30.0 kg Nitrogen (N) excreted/animal place/year	Annually	Refer to BAT 24
	Phosphorus	15.0 kg Phosphorus (P ₂ O ₅) excreted /animal place/year		
Weaners	Nitrogen	4.0 kg Nitrogen (N) excreted/animal place/year	Annually	Refer to BAT 24
	Phosphorus	2.2 kg Phosphorus (P ₂ O ₅) excreted /animal place/year		
Production pigs	Nitrogen	13.0 kg Nitrogen (N) excreted/animal place/year	Annually	Refer to BAT 24
	Phosphorus	5.4 kg Phosphorus (P ₂ O ₅) excreted /animal place/year		

Note 1: BAT-associated total nitrogen and phosphorus excreted levels are assigned in accordance with BAT 3 and BAT 4.

**C.5 Noise Monitoring**

No additional noise monitoring is required in this schedule.

**C.6 Ambient Monitoring****Groundwater Monitoring**

Location: Well AGW-1 (197384,076619)

Parameter	Monitoring Frequency	Analysis Method/Techniques
Nitrate	Annually	Standard Method
Total Ammonia	Annually	Standard Method
Faecal Coliforms	Annually	Standard Method



SCHEDULE D: Annual Environmental Report

Annual Environmental Report Content ^{Note 1}
<p>Waste management record.</p> <p>Monitoring of emissions to air including estimation of the reduction of ammonia emissions from the whole production process using BAT implemented.</p> <p>Report on dust emissions from animal houses (where applicable).</p> <p>Report on total nitrogen and phosphorus in manure.</p> <p>Report on technique(s) used at the installation for each BAT referenced in the applicable CIDS.</p> <p>Resource consumption summary.</p> <p>Tank and pipeline assessment report.</p> <p>Bund integrity test.</p> <p>Reported incidents summary/complaints summary.</p> <p>Energy efficiency audit report summary.</p> <p>Report on ammonia management programme.</p> <p>Report on the assessment of the efficiency of use of raw materials in processes and the reduction in waste generated.</p> <p>Report on progress made and proposals being developed to minimise water demand.</p> <p>Schedule of Environmental Objectives and Targets.</p> <p>Development/Infrastructural works summary (completed in previous year and/or prepared for current year).</p> <p>Statement of measures in relation to prevention of environmental damage and remedial actions (Environmental Liabilities).</p> <p>Quantity of organic fertiliser generated during the AER reporting year.</p> <p>Quantity of organic fertiliser moved off-site and recorded during the AER reporting year.</p> <p>Opening and closing quantity of organic fertiliser at the installation.</p> <p>Organic fertiliser monthly monitoring.</p> <p>Monitoring of storm water discharges.</p> <p>Groundwater monitoring results.</p> <p>Ammonia monitoring.</p> <p>Any other items specified in the licence conditions or by the Agency.</p>

Note 1: Content may be revised subject to the approval of the Agency.

Signed on behalf of the said Agency _____
 On the xx day of xxxxx, 202X xxxxxxxxxxxx **Authorised Person**