

From: Thomas Vainio-Mattila

Sent: Monday 30 January 2023 17:29

To: David Matthews <D.Matthews@epa.ie>; Marie O'Connor <M.O'Connor@epa.ie>; Eve O'Sullivan <E.O'Sullivan@epa.ie>; Ray Cullinane <R.Cullinane@epa.ie>

Subject: RE: Pre-Application Meeting - Murphy Concrete

Hi Dave,

The Technical Amendment proposal was submitted to the EPA via EDEN end of 2022. By when can we expect a response from the EPA?

Kind regards,

Thomas

Thomas Vainio-Mattila

Principal

[Geosyntec Consultants Ltd](#)

From: Thomas Vainio-Mattila

Sent: Thursday 13 October 2022 17:16

To: Marie O'Connor <M.O'Connor@epa.ie>; Eve O'Sullivan <E.O'Sullivan@epa.ie>; Ray Cullinane <R.Cullinane@epa.ie>; David Matthews <D.Matthews@epa.ie>

Subject: Pre-Application Meeting - Murphy Concrete

Dear All,

Thank you for meeting with us on Monday in relation to the Murphy Concrete facility in Gormanston, Co Meath.

We are preparing the Technical Amendment application for a 'clerical amendment', i.e. a tonnage increase for inert material accepted at the site, as per our discussions.

Our ecologist have advised us that an AA Screening cannot be carried out for something that has already happened, i.e. the material above the – currently licensed volume – has already been used for the Site restoration. We were advised that an Ecological Impact Assessment would be better suited for this scenario.

It is our understanding that the TA application cannot be submitted without an AA screening – could you please advise how we should proceed.

Kind regards,

Thomas

Thomas Vainio-Mattila

Principal

[Geosyntec Consultants Ltd](#)

Unit 10, Northwood Court

Northwood Crescent

Santry

Dublin, D09 W8DT