



ATTACHMENT B.4:
NOTICES AND ADVERTISEMENTS



**ATTACHMENT B.4.1:
NEWSPAPER NOTICE**

Public Notices

Public Notices

Public Notices

PUBLIC NOTICE

Application to the Environmental Protection Agency for the Review of a Waste Water Discharge Licence



Pursuant to Regulation 9 of the European Union (Waste Water Discharge) Regulations 2007 to 2020, Uisce Éireann, Colville House, 24-26 Talbot Street, Dublin 1, intend to apply to the Environmental Protection Agency for the review of the Waste Water Discharge Licence (D0056-01) for the Midleton Waste Water Treatment Works, Co. Cork. The proposed agglomeration will be an amalgamation of the Midleton (D0056-01) and Carrigtwohill (D0044-01) agglomerations. The waste water works will consist of the Primary Discharge (SW009) which will discharge from the Carrigtwohill Waste Water Treatment Plant (WwTP) to Lough Mahon (Harper's Island), the Secondary Discharge (SW001) will discharge from the Midleton WwTP to the North Channel Great Island at Rathcoursey; 5 no. Storm Water Overflows, 11 no. Dual Function Overflows, 3 no. Emergency Overflows as well as the associated sewer network and 26 no. existing Pumping Stations.

Details of the location of these works and associated discharges are as follows:

Waste Water Works Item	Location (Townland/Receiving Waterbody)	Irish National Grid Reference
Midleton WwTP Location	Garryduff	187505, 72801
Carrigtwohill WwTP Location	Tullagreen & Carrigtwohill	181177, 72228
Primary Discharge Location (SW009)	Lough Mahon (Harper's Island)	179911, 72583
Secondary Discharge Location (SW001)	North Channel Great Island	186177, 69506
Dual Function Overflow (SW003)	Carrigtwohill	181276, 72256
Dual Function Overflow (SW004)	Tullagreen	181133, 72310
Storm Water Overflow (SW005)	Lough Mahon (Harper's Island)	179911, 72605
Storm Water Overflow (SW006)	Carrigtwohill	181544, 73040
Storm Water Overflow (SW007)	Carrigtwohill	181544, 73040
Dual Function Overflow (SW008)	Owenacurra Estuary	180594, 72283
Dual Function Overflow (SW010)	Owenacurra Estuary	187975, 73109
Dual Function Overflow (SW011)	Castleredmond	188047, 72518
Dual Function Overflow (SW012)	Owenacurra Estuary	188518, 71783
Emergency Overflow (SW013)	Owenacurra Estuary	188272, 72060
Dual Function Overflow (SW014)	Garryduff	187475, 72902
Emergency Overflow (SW015)	Townparks (Dungourney River)	188573, 73373
Dual Function Overflow (SW016)	Townparks (Dungourney River)	188346, 73332
Dual Function Overflow (SW017)	Townparks (Dungourney River)	188265, 73232
Dual Function Overflow (SW018)	Townparks (Dungourney River)	188332, 73316
Dual Function Overflow (SW019)	Townparks (Dungourney River)	188703, 73401
Storm Water Overflow (SW020)	Owenacurra Estuary	187887, 73025
Storm Water Overflow (SW021)	Townparks (Dungourney River)	188346, 73332
Emergency Overflow (SW022)	Owenacurra Estuary	188366, 71791

A copy of -

- (i) The application for the review of the waste water discharge licence
- (ii) The Environmental Impact Assessment Report (EiAR)
- (iii) Such further information relating to the application as may be furnished to the Agency in the course of the Agency's consideration of the application

shall, as soon as is practicable after receipt by the Agency, be available for inspection or purchase at a fee not exceeding the reasonable cost of making a copy at the headquarters of the Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford and at Uisce Éireann, Colville House, 24-26 Talbot Street, Dublin 1. The EiAR will also be available on the Environmental Protection Agency's website for inspection.

Submissions in relation to the review application may be made to the Environmental Protection Agency at its headquarters at P.O. Box 3000, Johnstown Castle Estate, Co. Wexford, in writing within the period of 5 weeks beginning on the date of receipt by the Agency of the application.





ATTACHMENT B.4.2:

SITE NOTICE

PUBLIC NOTICE

Application to the Environmental Protection Agency for the Review of a Waste Water Discharge Licence



Pursuant to Regulation 9 of the European Union (Waste Water Discharge) Regulations 2007 to 2020, Uisce Éireann, Colvill House, 24-26 Talbot Street, Dublin 1, intend to apply to the Environmental Protection Agency for the review of the Waste Water Discharge Licence (D0056-01) for the Midleton Waste Water Treatment Works, Co. Cork. The proposed agglomeration will be an amalgamation of the Midleton (D0056-01) and Carrigtwohill (D0044-01) agglomerations. The waste water works will consist of the Primary Discharge (SW009) which will discharge from the Carrigtwohill Waste Water Treatment Plant (WwTP) to Lough Mahon (Harper's Island), the Secondary Discharge (SW001) will discharge from the Midleton WwTP to the North Channel Great Island at Rathcoursey; 5 no. Storm Water Overflows, 11 no. Dual Function Overflows, 3 no. Emergency Overflows as well as the associated sewer network and 26 no. existing Pumping Stations.

Details of the location of these works and associated discharges are as follows:

Waste Water Works Item	Location (Townland/Receiving Waterbody)	Irish National Grid Reference
Midleton WwTP Location	Garryduff	187505, 72801
Carrigtwohill WwTP Location	Tullagreen & Carrigtwohill	181177, 72228
Primary Discharge Location (SW009)	Lough Mahon (Harper's Island)	179911 72583
Secondary Discharge Location (SW001)	North Channel Great Island	186177, 69506
Dual Function Overflow (SW003)	Carrigtwohill	181276, 72256
Dual Function Overflow (SW004)	Tullagreen	181133, 72310
Storm Water Overflow (SW005)	Lough Mahon (Harper's Island)	179911, 72605
Storm Water Overflow (SW006)	Carrigtwohill	181544, 73040
Storm Water Overflow (SW007)	Carrigtwohill	181544, 73040
Dual Function Overflow (SW008)	Owenacurra Estuary	180594, 72283
Dual Function Overflow (SW010)	Owenacurra Estuary	187975, 73109
Dual Function Overflow (SW011)	Castleredmond	188047, 72518
Dual Function Overflow (SW012)	Owenacurra Estuary	188518, 71783
Emergency Overflow (SW013)	Owenacurra Estuary	188272, 72060
Dual Function Overflow (SW014)	Garryduff	187475, 72902
Emergency Overflow (SW015)	Townparks (Dungourney River)	188573, 73373
Dual Function Overflow (SW016)	Townparks (Dungourney River)	188346, 73332
Dual Function Overflow (SW017)	Townparks (Dungourney River)	188265, 73232
Dual Function Overflow (SW018)	Townparks (Dungourney River)	188332, 73316
Dual Function Overflow (SW019)	Townparks (Dungourney River)	188703, 73401
Storm Water Overflow (SW020)	Owenacurra Estuary	187687, 73025
Storm Water Overflow (SW021)	Townparks (Dungourney River)	188346, 73332
Emergency Overflow (SW022)	Owenacurra Estuary	188366, 71791

A copy of -

- (i) The application for the review of the waste water discharge licence
- (ii) The Environmental Impact Assessment Report (EIAR)
- (iii) Such further information relating to the application as may be furnished to the Agency in the course of the Agency's consideration of the application

shall, as soon as is practicable after receipt by the Agency, be available for inspection or purchase at a fee not exceeding the reasonable cost of making a copy at the headquarters of the Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford and at Uisce Éireann, Colvill House, 24-26 Talbot Street, Dublin 1. The EIAR will also be available on the Environmental Protection Agency's website for inspection.

Submissions in relation to the review application may be made to the Environmental Protection Agency at its headquarters at P.O. Box 3000, Johnstown Castle Estate, Co. Wexford, in writing within the period of 5 weeks beginning on the date of receipt by the Agency of the application.



ATTACHMENT B.4.3:

MAP 11 – SITE NOTICE LOCATION



NOTES:

LEGEND

- ◆ SITE NOTICE LOCATIONS
- WWTP SITE BOUNDARIES

SIGNED: _____

PRINT NAME: _____

POSITION: _____

DATE: _____

FOR UISCE ÉIREANN

Rev	Date	Description	Drn	Chk	App

LICENCE APPLICATION


CLIENT: **UISCE ÉIREANN**
 Colvill House,
 24-26 Talbot Street,
 Dublin 1
 Tel. 1890 278 278 Web. www.water.ie

PROJECT: **MIDDLETON
 WASTE WATER DISCHARGE
 LICENCE REVIEW APPLICATION**

TITLE: **MAP 11
 SITE NOTICE LOCATIONS**

SCALE: 1:4,000 DRAWN: R. Clarke
 DATE: 14/06/2023

ATTACHMENT: **B.4.3**





ATTACHMENT B.4.4:
WATER SERVICES AUTHORITY NOTICE

County Hall,
Carrigrohane Road,
Cork,
T12 R2NC.

By Email

03/07/2023

LT0661

Dear Sir/Madam,

Uisce Éireann
Teach Colvill
24-26 Sráid Thalbóid
Baile Átha Cliath 1
D01 NP86
Éire

Uisce Éireann
Colvill House
24-26 Talbot Street
Dublin 1
D01 NP86
Ireland

T: +353 1 89 25000
F: +353 1 89 25001
www.water.ie

Re: Midleton Waste Water Discharge Authorisation (WWDA) Application (D0056-01)

In accordance with the provisions of Regulation 13 of the European Union (Waste Water Discharge) Regulations 2007 to 2020, you are being notified that an application for the review of a WWDA licence (D0056-01), details of which are set out below, will be submitted to the Agency week commencing 03 July 2023.

Licence Type:	Waste Water Discharge
Name and address of applicant:	Uisce Éireann, Colvill House, 24-26 Talbot Street, Dublin 1, Dublin
Location of agglomeration	Midleton & Carrigtwohill
Reference No	D0056-01
EIS/EIAR to be submitted	Yes

Please refer to the below tables for the National Grid references, description of any waste water treatment plant and location of the discharge point or points. Please note, this WWDA review includes the amalgamation of Carrigtwohill (D0044-01) and Midleton (D0056-01) agglomerations.

Waste Water Works Item	Location (Townland/Receiving Waterbody)	Irish National Grid Reference
Middleton WwTP Location	Garryduff	187505, 72801
Carrigtwohill WwTP Location	Tullagreen & Carrigtwohill	181177, 72228
Primary Discharge Location (SW009)	Lough Mahon (Harper's Island)	179911 72583
Secondary Discharge Location (SW001)	North Channel Great Island	186177, 69506
Dual Function Overflow (SW003)	Carrigtwohill	181276, 72256
Dual Function Overflow (SW004)	Tullagreen	181133, 72310
Storm Water Overflow (SW005)	Lough Mahon (Harper's Island)	179911, 72605
Storm Water Overflow (SW006)	Carrigtwohill	181544, 73040
Storm Water Overflow (SW007)	Carrigtwohill	181544, 73040
Dual Function Overflow (SW008)	Owenacurra Estuary	180594, 72283
Dual Function Overflow (SW010)	Owenacurra Estuary	187975, 73109
Dual Function Overflow (SW011)	Castleredmond	188047, 72518
Dual Function Overflow (SW012)	Owenacurra Estuary	188518, 71783
Emergency Overflow (SW013)	Owenacurra Estuary	188272, 72060
Dual Function Overflow (SW014)	Garryduff	187475, 72902
Emergency Overflow (SW015)	Townparks (Dungourney River)	188573, 73373
Dual Function Overflow (SW016)	Townparks (Dungourney River)	188346, 73332
Dual Function Overflow (SW017)	Townparks (Dungourney River)	188265, 73232
Dual Function Overflow (SW018)	Townparks (Dungourney River)	188332, 73316
Dual Function Overflow (SW019)	Townparks (Dungourney River)	188703, 73401
Storm Water Overflow (SW020)	Owenacurra Estuary	187687, 73025
Storm Water Overflow (SW021)	Townparks (Dungourney River)	188346, 73332
Emergency Overflow (SW022)	Owenacurra Estuary	188366, 71791

The application will be processed by the Agency and you will be notified of the decision in due course.

In this regard any submissions in relation to this application should be forwarded to the Agency within 5 weeks from the date of receipt of the application. A copy of the application for review of the discharge licence, associated correspondence and EIAR will be available for public inspection on the Agency's website www.epa.ie.

Please note that there is no requirement for you to acknowledge receipt of this notice.

If you have no submission to make in relation to this application, there is no requirement for you to reply to the Agency.

Yours faithfully,



Peter Keegan

Wastewater Strategy

Uisce Éireann



ATTACHMENT B.4.5:
EIA PORTAL CONFIRMATION NOTICE

From: [Housing Eiaportal](#)
To: [Peter Keegan](#)
Subject: EIA Portal Confirmation Notice Portal ID 2023114
Date: Friday 30 June 2023 15:26:23
Attachments: [image001.png](#)

CAUTION: This email originated from outside of your organisation. Do not click links or open attachments unless you recognise the sender and are sure that the content is safe.

Dear Peter,

An EIA Portal notification was received on 30/06/2023 in respect of this proposed application. The information provided has been uploaded to the EIA Portal on 30/06/2023 under EIA Portal ID number 2023114 and is available to view at <http://housinggovie.maps.arcgis.com/apps/webappviewer/index.html?id=d7d5a3d48f104ecbb206e7e5f84b71f1>.

Portal ID: 2023114

Competent Authority: Environmental Protection Agency

Applicant Name: Uisce Éireann

Location: Midleton and Carrigtwohill Wastewater Network
Agglomeration and Wastewater treatment plants, Co. Cork,

Description: An EIAR is to be submitted to the EPA in support of a review application for the Midleton Agglomeration Wastewater Discharge licence D0056-01.

Linear Development: No

Date Uploaded to Portal: 30/06/2023

Kindest Regards,



EIA Portal team

—

An Roinn Tithíochta, Rialtais Áitiúil agus Oidhreachta
Department of Housing, Local Government and Heritage

Teach an Chustaim, Baile Átha Cliath 1, D01 W6X0
Custom House, Dublin 1, D01 W6X0

—

T +353 (0) 1 888 2000

www.gov.ie/housing



**An Roinn Tithíochta,
Rialtais Áitiúil agus Oidhreachta**
Department of Housing,
Local Government and Heritage

