

Peter Keegan
IW Licensing Eastern Midlands
Dara White



On behalf of Uisce Éireann

17 July 2023

Reg. No.: D0034-02

Re: Notice in accordance with Regulation 18(3)(b) of the European Union (Waste Water Discharge) Regulations 2007 to 2020

Dear Sir or Madam,

We refer to your application for a waste water discharge licence relating to agglomeration named Ringsend, Reg. No. D0034-02.

Having examined the documentation submitted on 07 July 2023 in response to the Regulation 18(3)(b) dated 08 June 2023, I am to advise that the Agency is of the view that information is outstanding and the documentation does not comply with Regulation 16 of the Waste Water Discharge (Authorisation) Regulations 2007 to 2020.

You are therefore required, in accordance with Regulation 18(3)(b) of the Regulations, to take steps to supply the information detailed below:

REGULATION 16 COMPLIANCE REQUIREMENTS

1. Provide the updated impact assessment report and provide the proposed mass emission levels and upper tier levels as referred to in the application form.
2. Provide the addendum to the 2018 EIAR and NIS.
3. Provide written confirmation from An Bord Pleanála that an EIA was not required for ABP-315902-23 or provide grant of planning permission and confirmation that EIA was not required.

Your reply to this notice should include a revised non-technical summary which reflects the information you supply in compliance with the notice, insofar as that information impinges on the non-technical summary.

In the case where any drawings already submitted are subject to revision consequent on this request, a revised drawing should be prepared in each case. It is not sufficient to annotate the original drawing with a textual correction. Where such revised drawings are submitted, provide a list of drawing titles, drawing numbers and revision status, which correlates the revised drawings with the superseded versions.

Please supply the information by 14 August 2023. Please note that all maps/drawings should not exceed A3 in size.

Your response to this request is to be submitted via EDEN. Guidance on how to use this portal is available on the EPA website at <https://www.epa.ie/publications/licensing--permitting/industrial/ipc/how-to-open-and-respond-to-an-epa-notice-issued-to-eden.php>

Please direct any queries that you may have in relation to the above to the Inspector Aimie Cranch at 053-9160600.

Yours Faithfully,

Environmental Licensing Programme
Office of Environmental Sustainability