

Electronic copy

Dr. Emma Sweeney Butler
On behalf of Uisce Éireann



28 September 2023

Reg. No. D0134-02

Re: Appropriate Assessment in respect of a licence review from Uisce Éireann in respect of the agglomeration named Castlemartyr

Dear Madam,

I refer to your application for a licence review in respect of the agglomeration named Castlemartyr.

I am to advise you in accordance with Regulation 42(8)(a) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, that the EPA has made a determination that an Appropriate Assessment is required as the project, individually or in combination with other plans or projects, is likely to have a significant effect on European sites. Notification of this determination is attached for your reference. The EPA acknowledges receipt of a Natura Impact Statement, submitted on 8/2/2023.

In carrying out an Appropriate Assessment the EPA shall take into account each of the matters specified in Regulation 42(12) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, where applicable.

The EPA shall publish a Notice for Public Consultation on Appropriate Assessment under Regulation 42 of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended.

Submissions or observations on a licence application can be made to the Agency in relation to Appropriate Assessment as set out in the notice for public consultation.

The application and all associated correspondence including the notice for public consultation are available to view on the EPA website at www.epa.ie. You are advised to refer to the website for information on the progress of the application.

If you have any further queries, please contact licensing@epa.ie.

Yours faithfully,

Environmental Licensing Programme
Office of Environmental Sustainability
Tel: 053 – 9160600

Appropriate Assessment Screening Determination

In accordance with Regulation 42(1) of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended, the Agency has undertaken Appropriate Assessment screening to assess, in view of best scientific knowledge and the conservation objectives of the site, if the waste water discharges, individually or in combination with other plans or projects is likely to have a significant effect on European Sites. In this context, particular attention was paid to the European Sites listed below.

Consent Details:

Reg. No.	D0134-02
Applicant Name:	Uisce Éireann
Type of Consent Sought:	Review of a wastewater discharge licence
Location of agglomeration:	Castlemartyr, Co. Cork
Review Licence Application Date:	8 February 2023
European Sites assessed:	Ballymacoda (Clonpriest and Pillmore) SAC (Site Code: 000077)
	Ballymacoda Bay SPA (Site Code: 004023)
	Ballycotton Bay SPA (Site Code: 004022)
	Cork Harbour SPA (Site Code: 004030)
Date of AA Screening Determination:	26/09/2023

AA Screening Determination:

That the waste water discharges is not directly connected with or necessary to the management of any European site and that it cannot be excluded, on the basis of objective information, that the activity, individually or in combination with other plans or projects, will have a significant effect on any European site and accordingly determined that an Appropriate Assessment of the activity is required, **and for this reason determined to require the applicant to submit a Natura Impact Statement.**

This determination is based on the potential for impacts from waste water discharges on the water dependent qualifying habitats and species of the Ballymacoda (Clonpriest and Pillmore) SAC and Ballymacoda Bay SPA.

Information in relation to European Sites is available on www.npws.ie

Documents relating to the review licence application are available on the Agency's website at www.epa.ie



Christine Murphy

Office of Environmental Sustainability

Date: 28/09/2023