


Our Case Number: ABP-307433-20


EPA Ref: W0167-04

Applicant's Name: Indaver Ireland Limited



**An
Bord
Pleanála**

Administrative Team
Environmental Licensing Programme
Office of Environmental Sustainability
Environmental Protection Agency
Johnstown Castle Estate
Co. Wexford
PO Box 3000



Date: 2nd October 2023

Re: Industrial Emissions licence review application for an increase in annual total waste for treatment from currently permitted 235,000 tonnes to 250,000 tonnes, increase in annual amount of hazardous waste from currently permitted 10,000 tonnes to 25,000 tonnes, development of an aqueous waste tank farm, hydrogen generation unit, bottom ash storage building, development of a single storage warehouse, new concrete yard, weather canopy, demolition and rebuilding of an existing single storey modular office and ancillary site works.

Dear Sir / Madam,

I have been asked by An Bord Pleanála to refer to your letters dated 21st July 2023 and 18th September 2023 in relation to the above-mentioned application for a review of an Industrial Emissions Licence under section 87(1B)(a)(i) of the EPA Act, 1992, as amended. In respect of the Environmental Protection Agency's request for observations in accordance with the provisions of section 87(1D)(a) of the EPA Act, 1992, as amended, and having regard to the specific queries raised in your letter, the Board would wish to comment as follows:

- Having carried out an initial inspection of documents on the Agency's website, the Board considers that the activity, subject of the current Industrial Emissions licence review application, would appear to be the same as the proposed development which the Board approved, subject to conditions, as strategic infrastructure development, on 30th March 2022 under Board reference ABP-307433-20.

Tel	Tel	(01) 858 8100
Glaó Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde
Baile Átha Cliath 1
D01 V902

64 Marlborough Street
Dublin 1
D01 V902

- The decision was made by the Board after the carrying out of an environmental impact assessment and following a request for further information and receipt of the report of an engineering consultant and the report of an Inspector on the said case, which includes a section on environmental impact assessment and consideration of key associated issues.
- The Agency's attention is brought to the issues set out in the Inspector's report and assessment and the Board's final decision, as set out in the Direction and Order, with particular attention to the Reasons and Considerations and Conditions imposed on the grant of permission.
- All documents relating to the Environmental Impact Assessment are available on <https://www.pleanala.ie/en-ie/case/307433>

If you have any queries in relation to this matter, please contact the undersigned officer of the Board at laps@pleanala.ie.

Please quote the above mentioned An Bord Pleanála reference number in any correspondence or telephone contact with the Board.

Yours faithfully,



Niamh Thornton

Tel	Tel	(01) 858 8100
Glaos Áitiúil	LoCall	1890 275 175
Facs	Fax	(01) 872 2684
Láithreán Gréasáin	Website	www.pleanala.ie
Ríomhphost	Email	bord@pleanala.ie

64 Sráid Maoilbhríde	64 Marlborough Street
Baile Átha Cliath 1	Dublin 1
D01 V902	D01 V902