



Mr Ken Conroy  
Uisce Éireann  
Administration Team  
Environmental Regulation  
Colvill House  
24-26 Talbot Street  
Dublin 1

Headquarters, PO Box 3000  
Johnstown Castle Estate  
Co Wexford,  
Y35 W821, Ireland

Ceanncheathrú, Bosca Poist 3000  
Eastát Chaisleán Bhaile Sheáin  
Contae Loch Garman,  
Y35 W821, Éire

T: +353 53 916 0600  
F: +353 53 916 0699  
E: [info@epa.ie](mailto:info@epa.ie)

30 January 2024

Reg No. D0516-02

Re: Notice of a decision on a Waste Water Discharge Licence application in accordance with Regulation 28(1) of the European Union (Waste Water Discharge) Regulations 2007 to 2020

Dear Mr Conroy

In accordance with Regulation 28(1) of the European Union (Waste Water Discharge) Regulations 2007 to 2020, the Agency notifies you of its decision to grant a Waste Water Discharge Licence, subject to conditions, to Uisce Éireann in respect of the agglomeration named Ballycotton. Please find accompanying a copy of the Agency's decision.

A copy of the Inspector's Report including all application documentation is available for inspection on the Agency's website: [www.epa.ie](http://www.epa.ie).

Yours sincerely

Environmental Licensing Programme  
Office of Environmental Sustainability

Encl