

The Mews, 23 Farnham Street, Co. Cavan. 049-4371447/9 info@clw.ie

Office of Environmental Sustainability, Environmental Protection Agency, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford

6th February 2024

Re: Mr. Vincent Quinn (P0871-03)

Dear Linda,

I refer to the previous Agency correspondence of 3rd November last.. Please find detailed below, in red, our response to the issues raised.

In relation to wash water produced by the activity:

a) In relation to the spreadlands identified for wash water application, the maps included in the EIAR do not show the 30.7 ha of available land that was quoted. Provide additional maps to demonstrate the availability of the full 30.7 ha of land as outlined in the EIAR or revise the area quoted as being available;

Please refer to updated Area Aid map below.



The Mews, 23 Farnham Street, Co. Cavan. 049-4371447/9 info@clw.ie



b) Provide calculations based on the available land to demonstrate that the lands identified have the capacity to accept the wash water generated; and

Available land area = 32.19HA Stocking Rate 2023 = 160 Kg Organic N/Ha

Soiled water per annum upon completion of proposed development = 241.5 m3 @ 1kg N/M3

Additional allocation of 241.5 Kg N / 32.19 Ha = 7.5 kg N/ha

Total Organic N/HA = 167.5 Kg organic N/Ha (Well inside the 170 kg organic N/Ha Limit.



The Mews, 23 Farnham Street, Co. Cavan. 049-4371447/9 info@clw.ie

c) Confirm the capacity of each wash water storage tank (total capacity minus the freeboard).

Tank No.	Gross of 200mm freeboard	Net of 200mm freeboard
1	4.29	3.63
2	6.605073125	6.227640375
3	9.24	8.184
4	9.548	8.184
5	10.16025	9.09075
6 (proposed)	15.9	14.575
Off-Site*	451.5087744	413.8830432
	507.2520975	463.7744336
	l ff site storage tank available.	•
located on ou	tfarm, not currently used for	any other purpose.

Please refer to updated site plan attached.

In addition to the above, please also provide an updated non-technical summary (Application Form, and EIS where applicable) to reflect the information provided in your reply, insofar as that information impinges on the non-technical summary.

No revisions required

If you require any additional information please contact this office.

Yours sincerely,

Paraic Fay

Paraic Fay B.Agr.Sc.

CLW

CLW Environmental Planners The Mews 23 Farnham St

Cavan