



## Notice for Public Consultation on Appropriate Assessment

### under Regulation 42 of the European Communities (Birds and Natural Habitats) Regulations 2011 as amended

The EPA has given notice of its Appropriate Assessment Screening Determination to Uisce Éireann relating to an application for a review of Waste Water Discharge Licence for the Macroom agglomeration in the townlands of Sleveen East, Sleveen West, Gurteenroe and Codrum, Co. Cork Register Number D0126-02.

This application is for the authorisation of waste water discharges from the waste water works serving the agglomeration. The application relates to waste water works, which includes a waste water treatment plant providing secondary treatment and phosphorus removal. The waste water discharges from the waste water works are to the River Sullane IE\_SW\_19S020480. The population equivalent (p.e) to which the application relates is 8,300 p.e.

<b>Location of waste water discharges and waste water treatment plant</b>	
Location of primary discharge	River Sullane (IE_SW_19S020480), Sleeven East, Macroom, Co. Cork, (grid reference: 134957E, 72953N)
Location of discharges from storm water overflows and emergency overflows	SW002: River Sullane (IE_SW_19S020480) (grid reference: 134957E, 72953N) SW003: River Sullane (IE_SW_19S020480) (grid reference: 133877E, 73203N) SW004: River Sullane (IE_SW_19S020480) (grid reference: 134957E, 72953N)
Location of waste water treatment plant	Sleeven East, Macroom, Co. Cork, (grid reference: 134945E, 72932N)

The EPA has carried out an Appropriate Assessment Screening and has determined that an Appropriate Assessment is required for the discharges. The applicant has submitted a Natura Impact Statement.

The documents relating to the licence application, including the Appropriate Assessment documentation can be viewed on the EPA website at [www.epa.ie](http://www.epa.ie) or at EPA Headquarters, P.O. Box 3000, Johnstown Castle Estate, Co. Wexford (Tel: Lo Call 0818 33 55 99 or 053 9160600).

Submissions or observations on Appropriate Assessment concerning a licence application can be made to the Agency. Such submissions may be made for at least 30 days after publication of the following information on the Agency's website:

- This Notice for Public Consultation on Appropriate Assessment
- Natura Impact Statement received from applicant

- Additional information submitted on the Natura Impact Statement

Information on making submissions or observations and on the public participation process is available on the Agency's website.

The EPA shall publish its decision (grant/refusal) on its website, and before making a decision, the EPA shall consider any submissions.

Date: 19/02/2024