

Licence Alteration Request

Alteration Details	
Licence	P0811-02 Dawn Meats Ireland Unlimited Company
Licensee	Dawn Meats Ireland Unlimited Company
Title of Alteration	Implementation of Drip Irrigation on Licensee Lands

Screening Report

No.	Question	Answer
1	Does the proposed alteration require a new class of activity or process?	No
2	Does the proposed alteration cause a new / additional main emission point?	No
3	Does the proposed alteration increase the total specified emissions for any emission parameter? significantly ?	No
4	Does the proposed alteration increase significantly the overall total emission from the installation/facility?	No
5	Does the proposed alteration involve development or proposed development that has already been granted planning permission or requires a grant of planning permission and was/is subject to EIA by the Planning Authority or An Bord Pleanála?	No
6	Did the proposed alteration require the preparation of a Natura Impact Statement (NIS) for consideration by any Planning or Public Authority?	No
7	Does the proposed alteration indicate that the EPA should conduct an Appropriate Assessment (on foot of a screening for Appropriate Assessment)?	No
8	Does the proposed change conflict with BAT as set out in the relevant BAT Conclusions? See here	No
9	Does the proposed alteration adversely affect the energy efficiency of the installation/facility?	No
10	Does the proposed alteration adversely affect the environmental risk of the installation/facility significantly ?	No

Licence Alteration Request

11	Does the proposed alteration cause an increase above the capacity limitations specified in the licence?	No
12	Does the proposed alteration require an extension of operating hours (where controlled by the licence) for an installation/facility where the public is likely to have an interest in such an extension?	No
13	Does the proposed alteration involve the incineration or co-incineration of waste materials displaying hazardous properties that were not previously authorised (as per the WID/IED)?	No
14	Does the proposed alteration introduce materials or techniques which adversely alter the probability, magnitude and duration or complexity of the site transboundary impact?	No
15	Does the proposed alteration constitute a substantial change?	No
16	Does the proposed alteration regularise an on-going breach of a licence condition?	No
17	Does the proposed alteration require a change to a condition or schedule of the Licence?	Yes

Recommendation

Based on your responses to the forgoing questions the recommended option is for you to submit a 'Request Licence Amendment' for this proposed alteration.

To submit this request to the EPA you should locate it in the 'Request Alteration' area in LMA. Click on 'Proceed' against this saved request, and then click on the 'Request Licence Amendment' button (in STEP 2 of the process). Then you will be required to provide more detailed information about your proposed amendment.

Note: The responses you have provided in this Screening Report will form part of the information record if you decide to proceed with this alteration request.

Recommendation Date: 20/12/2023

Licence Alteration Request



Clerical or Technical Amendment Application Details

Proposed Alteration Description

Dawn Meats intend to amend the management of wastewater on site to allow for treatment and disposal on site, thereby removing the requirement to tanker wastewater off-site and reliance on third party treatment.

Under the proposed arrangement, treated wastewater will be pumped to a sub-surface Irrigation system, which is an effluent disposal technique designed to disperse effluent at a low application rate over a large area of suitable land. Details of the proposed system together with a Hydrological Risk Assessment and Site Characterisation report is appended to this document as Attachment B.

The licensee therefore requests the inclusion of an updated Schedule B.2 within the licence in order to accommodate the proposed drip irrigation system.

Priority	1. Routine
Category of Amendment	(c) Otherwise facilitating the operation of the licence (or certificate) and the making of the amendment does not result in the relevant requirements of section 83(5) of the EPA Act as amended/ section 42B(1) of the Waste Management Act as amended/environmental requirements ceasing to be satisfied

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
Schedule B	Schedule B	New Schedule B

Questions

Q1	Is planning permission required to support the proposed alteration?	No
Q2	Does the application involve an installation boundary change?	No
Q3	Does the application involve changes to emissions to sewer?	No
Q4	Attach Appropriate Assessment Screening Report here	P0811-02 Request for TA - AA Screening.pdf

Additional Documentation

P0811-02 Request for TA - Drip Irrigation_2.pdf

ScreeningReport.pdf

Final Declaration

Name	PEADAR O'LOUGHLIN
Position	Consultant

Application Details

Selected by:	Peadar O'Loughlin	Selected date:	20/12/2023
Submitted by:	Peadar O'Loughlin	Submitted date:	29/12/2023