

Alteration Details	
Licence	Mr Paul Tully
Licensee	Mr Paul Tully
Title of Alteration	EPA Initiated Amendment - CID Batch 5

Clerical or Technical Amendment Application Details

Proposed Alteration Description

Priority	1. Routine
----------	------------

Licence Condition Changes

Condition / Schedule Reference	Current Condition / Schedule Wording	Suggested New Wording
--------------------------------	--------------------------------------	-----------------------

Questions

Q1	Is planning permission required to support the proposed alteration?	
If 'Yes', please provide written confirmation from the Planning Authority that an EIA was not required in this instance <u>OR</u> an EIA Screening Report that indicates that the development does not comprise or is not for the purposes of the activity		
Q2	Does the application involve an installation boundary change?	
If 'Yes', for a proposed site boundary reduction please attach an OEE Exit Audit Approval for the reduced boundary area. In the case of an installation boundary increase for an Industrial Emission Licenced activity, you are required to provide the reason that you consider a Baseline Report is not required. In the case of all boundary changes also provide an updated site boundary location map in accordance with Section B of the EPA Licence Application Form.		
Q3	Does the application involve changes to emissions to sewer?	
If 'Yes', please attach Irish Water agreement for changes to emissions to sewer here If 'Yes', please attach Irish Water agreement for changes to emissions to sewer here		
If 'Yes' for an Industrial Emissions Licenced activity, please provide evidence that an equivalent level of protection for the environment as a whole is guaranteed (section 86A (8))		
Q4	Attach Appropriate Assessment Screening Report here	

Final Declaration

Name	
Position	

Application Details			
Selected by:		Selected date:	
Submitted by:		Submitted date:	15/09/2023