



Headquarters
P.O. Box 3000
Johnstown Castle Estate
County Wexford
Ireland

TECHNICAL AMENDMENT A
TO
INDUSTRIAL EMISSIONS LICENCE

| | |
|----------------------------------|---|
| Licence Register Number: | W0184-02 |
| Company Register Number: | 317186 |
| Licensee: | Enva Ireland Limited |
| Location of Installation: | Clonminam Industrial Estate Portlaoise County Laois |

Reasons for the Decision

The Environmental Protection Agency is satisfied, on the basis of the information available, that subject to compliance with the conditions of Licence Reg. No. W0184-02 granted on 15 June 2017 and as well as any amendments noted herein, any emissions from the activity will comply with and not contravene any of the requirements of Section 83(5) of the Environmental Protection Agency Act 1992 as amended.

The Agency has applied the Commission Implementing Decision of 10 August 2018 establishing Best Available Techniques (BAT) Conclusions, under Directive 2010/75/EU of the European Parliament and of the Council on industrial emissions, for waste treatment (CID 2018/1147) as a reference when setting licence conditions and schedules.

A screening for Appropriate Assessment was undertaken to assess, in view of best scientific knowledge and the conservation objectives of the site, if the activities individually or in combination with other plans or projects are likely to have a significant effect on any European Site. In this context, particular attention was paid to the European Sites: River Barrow and River Nore SAC (002162), Slieve Bloom Mountains SAC (000412), Mountmellick SAC (002141), Ballyprior Grassland SAC (02256), Slieve Bloom Mountains SPA (004160) and River Nore SPA (004233).

The activity is not directly connected with or necessary to the management of any European Site and the Agency considered, for the reasons set out below, that it can be excluded, on the basis of objective information, that the activity, individually or in combination with other plans or projects, will have a significant effect on any European Site and accordingly determined that an Appropriate Assessment of the activity was not required.

This determination is based on the following reasons:

- the installation is not located within any European site,
- this amendment is for the purposes of updating the licence to ensure compliance with the Commission Implementing Decision for Waste Treatment (CID 2018/1147). This amendment updates the licence conditions and maintains or tightens the emission limit values to ensure the operation of the installation is in line with the latest developments in best available techniques (BAT) and to achieve a high level of protection of the environment, and
- the proposed changes do not substantially change the nature or extent of the operations at the installation.

Technical Amendment

In pursuance of the powers conferred on it by Section 96(1)(c) of the Environmental Protection Agency Act 1992 as amended, the Agency amends the licence, granted to ENVA Ireland Limited, for an installation located at Clonminam Industrial Estate, Portlaoise, County Laois.

Henceforth, the licence must be read in conjunction with the amendments set out below.

This technical amendment is limited to the following: Glossary of Terms, Conditions and Schedules:

Amendments

Amended Glossary of Terms

Insert the following into the Glossary of Terms, of the existing licence or where relevant replace the existing term:

All terms in this amendment should be interpreted in accordance with the definitions in the Environmental Protection Agency Act 1992 as amended, unless otherwise defined in the glossary.

| | |
|-------------------------------|--|
| Accident | For the purpose of this licence an accident means an unplanned event that may result in pollution. |
| Air lock system | A system of two doors, one or other of which is closed at all times, that permits the delivery of waste whilst minimising the escape of fugitive emissions from the waste building. |
| Approval | Approval in writing/electronically. |
| BAT | Best Available Techniques (BAT), as described in the Commission Implementing Decision (CID) 2018/1147 of 10 August 2018 establishing best available techniques (BAT) conclusions for waste treatment (2018/1147), under Directive 2010/75/EU of the European Parliament and of the Council. Reference to BAT numbers in the conditions of this licence are references to the BAT Conclusions according to how they are numbered in the aforementioned CID. |
| Channelled emissions | Emissions of pollutants into the environment through any kind of duct, pipe, stack, etc. This also includes emissions from open-top biofilters. |
| CID | Commission Implementing Decision (CID) 2018/1147 of 10 August 2018 establishing best available techniques (BAT) conclusions for waste treatment, under Directive 2010/75/EU of the European Parliament and of the Council. |
| Continuous measurement | Measurement using an 'automated measuring system' permanently installed on site. |
| Diffuse Emissions | Non-channelled emissions which can result from 'area' sources (e.g. tanks) or 'point' sources (e.g. pipe flanges). |
| Direct discharge | Discharge to a receiving water body without further downstream waste water treatment. |
| Existing Plant | A plant that is not a new plant. |
| Fugitive Emissions | Diffuse emissions from 'point' sources. |
| Groundwater | Has the meaning assigned to it by Regulation 3 of the European Communities Environmental Objectives (Groundwater) Regulations 2010 (SI No. 9 of 2010), as amended. |
| Hazardous waste | Hazardous waste as defined in point 2 of Article 3 of Directive 2008/98/EC. |

| | |
|--------------------------------------|--|
| Indirect Discharge | Discharge which is not a direct discharge. |
| Industrial waste water | Any waste water that is discharged from premises used for carrying on any trade or industry or other non-domestic use and excludes run-off rain water as defined by European Union (Waste Water Discharge) Regulations 2020, SI 214/2020. |
| List of Wastes (LoW) | A harmonised, non-exhaustive list of wastes drawn up by the European Commission and published as Commission Decision 2014/955/EU, as amended by any subsequent amendment published in the Official Journal of the European Community. |
| New plant | A plant first permitted at the site of the installation following the publication of the CID 2018/1147 or a complete replacement of a plant following the publication of the CID 2018/1147. |
| Odour Concentration | Number of European Odour Units (OU _E) in one cubic metre at standard conditions measured by dynamic olfactometry according to EN 13725. |
| Odour control system | Includes the biofilter, ducting, fans for inducing negative pressure in buildings and vessels, the main building, the fibre store building and outdoor vessels used for the storage of incoming waste. |
| Odour-sensitive location | Any dwelling house, hotel or hostel, health building, educational establishment, place of worship or entertainment, or any other premises or area of high amenity which for its proper enjoyment requires the absence of odour at nuisance levels. |
| On-site verification of waste | Rapid check methods to confirm that a waste is the same as that which has been subjected to compliance testing and that which is described in any accompanying documents. It may merely consist of a visual inspection of a load of waste before and after unloading at the installation. |
| Output | The treated waste exiting the waste treatment plant. |
| Periodic measurement | Measurement at specified time intervals using manual or automated methods. |
| Potential emissions | Emissions which take place only under abnormal operating conditions. Examples include emissions from overpressure valves, bursting discs, and emergency generators. |
| Recovery | Recovery as defined in Article 3(15) of Directive 2008/98/EC. |
| Residual Waste | The fraction of collected waste remaining after a treatment or diversion step, which generally requires further treatment or disposal, including mixed municipal waste. |
| Residues management plan | A residues management plan is part of the EMS (see BAT 1) and is an asset of measures to (1) minimise the generation of residues arising from the treatment of waste; (2) optimise the reuse, regeneration, recycling and/or recovery of energy of the residues, and (3) ensure the proper disposal of residues. |

| | |
|---------------------------|---|
| Sensitive receptor | Area which needs special protection, such as: <ul style="list-style-type: none">- residential areas:- areas where human activities are carried out (e.g. neighbouring workplaces, schools, daycare centres, recreational areas, hospitals or nursing homes). |
| SPA | Special Protection Area designated under the Birds Directive, Directive 2009/147/EC of the European Parliament and of the Council of 30 November 2009 on the conservation of wild birds. |
| Uisce Éireann | Uisce Éireann, Colvill House, 24/26 Talbot Street, Dublin 1. |
| Waste holder | Waste holder as defined in Article 3(6) of Directive 2008/98/EC of the European Parliament and of the Council. |
| Waste input | The incoming waste to be treated in the waste treatment plant. |

Amended Conditions

Replace Condition 2.2 of the existing licence with the following:

2.2 Environmental Management System (EMS)

- 2.2.1 The licensee must maintain and implement an Environmental Management System (EMS), within six months of date of grant of this Technical Amendment. The EMS must be reviewed by senior management for suitability, adequacy and effectiveness and updated on an annual basis.
- 2.2.2 The EMS must include, as a minimum, the following elements:
- 2.2.2.1 A statement of the commitment, leadership and accountability of management, including senior management for the implementation of an effective EMS.
 - 2.2.2.2 An environmental policy, defined by Management, that includes a commitment to continuous improvement of the environmental performance of the installation.
 - 2.2.2.3 Management and reporting structure and responsibility for environmental aspects, including for the planning and provision of financial and human resources to manage and implement the EMS.
 - 2.2.2.4 An analysis of the organisation's regulatory and environmental obligations, including the potential risks to the environment from the activity.
 - 2.2.2.5 Waste stream management using all the techniques listed in BAT 2 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
 - 2.2.2.6 The maintenance of an inventory of waste water and waste gas streams that incorporates all the features in BAT 3 of CID 2018/1147.
 - 2.2.2.7 An accident and incident management plan using all the techniques listed in BAT 21 of CID 2018/1147, within twelve months of date of grant of this Technical Amendment.
 - 2.2.2.8 If expected or substantiated, an odour management plan that incorporates all the elements listed in BAT 12 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
 - 2.2.2.9 The maintenance of a residues management plan to reduce the quantity of waste sent for disposal, to be done in accordance with BAT 24 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
 - 2.2.2.10 The procedures required by this licence, including procedures for:
 - (a) ensuring compliance with environmental legislation,
 - (b) ensuring employee awareness of and involvement in complying with environmental legislation, and
 - (c) checking performance and developing performance indicators by sectoral benchmarking on a regular basis, including for energy efficiency.

2.2.2.11 Schedule of Environmental Objectives and Targets

The licensee must update and implement a Schedule of Environmental Objectives and Targets. The schedule must, as a minimum, provide for a review of all operations and processes, as referred to in the conditions of this licence, including an evaluation of practicable options for:

- (a) energy and resource efficiency,
- (b) the reduction in water consumption,
- (c) the use of cleaner technology, cleaner production,
- (d) odour and noise management,
- (e) the prevention, reduction and minimisation of waste including waste reduction targets,
- (f) the impacts from eventual decommissioning of the installation, and
- (g) a monitoring and measurement programme.

The Schedule must include time frames for the achievement of set targets and must address a five-year period as a minimum. The Schedule must be reviewed annually.

2.2.2.12 Environmental Management Programme (EMP)

The licensee must update and implement an EMP, including a time schedule, for achieving the Environmental Objectives and Targets prepared under Condition 2.2.2.11. The EMP must include:

- (a) designation of responsibility for targets,
- (b) the means by which they may be achieved, and
- (c) the time within which they may be achieved.

The EMP must be reviewed annually.

A report on the programme, including the success in meeting agreed targets and an evaluation of non-conformities and associated corrective actions and the potential for further non-conformities to occur must be prepared and submitted to the Agency as part of the AER. Such reports must be retained on-site for a period of not less than seven years and must be available for inspection by authorised persons of the Agency.

2.2.2.13 Documentation

- (a) The licensee must update and implement an environmental management documentation system.
- (b) The licensee must issue a copy of this licence to all relevant personnel whose duties relate to any condition of this licence.

2.2.2.14 Corrective and Preventative Action

- (a) The licensee must update and implement procedures to ensure that corrective and preventative action is taken should the specified requirements of this licence not be fulfilled. The responsibility and authority for persons initiating further investigation and corrective and preventative action in the event of a reported non-conformity with this licence must be defined.

- (b) Where a breach of one or more of the conditions of this licence occurs, the licensee must without delay take measures to restore compliance with the conditions of this licence in the shortest possible time and initiate any feasible preventative actions to prevent recurrence of the breach.
- (c) All corrective and preventative actions must be documented.

2.2.2.15 Internal Audits

- (a) The licensee must update and implement a programme for independent internal audits of the EMS.
- (b) Such audits must be carried out at least once every three years
- (c) The audit programme must determine whether or not the EMS is being implemented and maintained properly, and in accordance with the requirements of this licence.
- (d) Audit reports and records of the resultant corrective and preventative actions must be maintained as part of the EMS in accordance with Condition 2.2.2.13.

2.2.2.16 Awareness, Training and Competence

The licensee must update and implement procedures for identifying training needs, and for providing appropriate training and communication to all personnel whose work can have a significant effect upon the environment to ensure awareness and competence in their work area. Appropriate records of training must be maintained.

2.2.2.17 Public Awareness and Communications Programme

- (a) The licensee must update and implement a Public Awareness and Communications Programme to ensure that members of the public can obtain information at the installation, at all reasonable times, concerning the environmental performance of the installation.
- (b) The programme must be approved by the Agency and a report on the programme must be prepared and submitted to the Agency annually.

2.2.2.18 Maintenance Programme

- (a) The licensee must update and implement a programme for maintenance of all plant and equipment based on the instructions issued by the manufacturer/supplier or installer of the equipment.
- (b) Appropriate record keeping and diagnostic testing must support this maintenance programme.
- (c) The licensee must clearly allocate responsibility for the planning, management and execution of all aspects of this programme to appropriate personnel (see Condition 2.1).
- (d) The maintenance programme must use appropriate techniques and measures to ensure the optimisation of energy efficiency in plant and equipment.

2.2.2.19 Effective Process Control

- (a) The licensee must update and implement a programme to ensure there is adequate control of processes under all modes of operation.
- (b) The programme must identify the key indicator parameters for process control performance, as well as identifying methods for measuring and controlling these parameters.
- (c) Abnormal process operating conditions must be documented and analysed to identify any necessary corrective action.

2.2.2.20 PCB Management Plan

The licensee must update, maintain and implement procedures to demonstrate compliance with the requirements of the Agency's *Management Plan for Polychlorinated Biphenyls (PCBs)* and/or Council Directive 96/59/EC on polychlorinated biphenyls and polychlorinated terphenyls (PCBs/PCTs).

New Conditions

Append the following to Condition 3, of the existing licence:

- 3.23 The licensee must ensure that all infrastructure and all equipment required under this licence has been and is:
- (a) installed,
 - (b) commissioned,
 - (c) present on site, and
 - (d) maintained in full working order in accordance with the manufacturer's guidelines for routine servicing and risk assessments.
- 3.24 Where any Condition/Schedule of this licence specifies any later deadline for installation of any piece of infrastructure or equipment, Condition 3.23 must apply as and from the deadline specified.

Amended Condition

Replace Condition 5.3, of the existing licence with the following:

- 5.3 Emissions, including emissions giving rise to odours, from the activities carried on at the site must not result in an impairment of, or an interference with amenities or the environment beyond the installation boundary or any other legitimate uses of the environment beyond the installation boundary.

Replace condition 6.9, of the existing licence with the following::

- 6.9 The licensee must update, maintain and implement a programme, to the satisfaction of the Agency, for the identification and reduction of diffuse emissions to air using an appropriate combination of best available techniques listed in BAT 14 of CID 2018/1147, within six months of date of grant of this Technical Amendment. This programme must be included in the Environmental Management Programme.

New Conditions

Append the following to Condition 6.18, of the existing licence:

- 6.18.11 The licensee must update, maintain and implement, to the satisfaction of the Agency, the Odour Management Programme, in line with the elements listed in BAT 12 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 6.18.12 The revised odour management programme must be submitted to the Agency within six months of the date of grant of this Technical Amendment.
- 6.18.13 The odour management programme must as a minimum address the odour abatement system and the storage and handling of wastes and other materials with a potential for causing odour.
- 6.18.14 The odour management programme must be prepared in accordance with the Agency's *Odour Emissions Guidance Note (Air Guidance Note AG9)*, as may be amended or replaced by the Agency.
- 6.18.15 The odour management programme must be reviewed annually.

Renumber condition 6.20 to 6.20.1 and append the following to Condition 6, of the existing licence:

- 6.20.2 The licensee must use one or a combination of the techniques listed in BAT 13 of CID 2018/1147 to prevent or, where that is not practicable to reduce odour emissions, within six months of date of grant of this Technical Amendment.
- 6.24 For relevant emissions to water as identified by the inventory of waste water streams (see BAT 3), the licensee must monitor key process parameters (e.g. waste water flow, pH, temperature, conductivity, and BOD) at key locations (e.g. at the inlet and /or outlet of the pretreatment, at the inlet to the final treatment, at the point where the emissions leaves the installation) in accordance with BAT 6 of CID 2018/1147 and *Schedule C.3 Monitoring of Emissions to Sewer*, within six months of date of grant of this Technical Amendment.
- 6.25 The licensee must use one or a combination of the techniques listed in BAT 18 of CID 2018/1147, to minimise noise emissions, within six months of date of grant of this Technical Amendment.
- 6.26 To reduce emissions to water, the licensee must treat waste water using an appropriate combination of the techniques listed in BAT 20 of CID 2018/1147, within six months of date of grant of this Technical Amendment.

- 6.27 To reduce emissions of organic compounds to air from the mechanical treatment of waste with calorific value, the licensee must apply BAT 14d and use one or a combination of the techniques listed in BAT 31 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 6.28 To reduce emissions of dust, organic compounds and NH₃ to air from the physico-chemical treatment of solid and/or pasty waste, the licensee must apply BAT 14d and use one or a combination of the techniques listed in BAT 41 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 6.29 To reduce emissions of organic compounds to air from re-refining waste oil, the licensee must apply BAT 14d and use one or a combination of the techniques listed in BAT 44 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 6.30 To reduce emissions of organic compounds to air from physico-chemical treatment of waste with calorific value, the licensee must apply BAT 14d and use one or a combination of the techniques listed in BAT 45 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 6.31 To reduce emissions of dust and organic compounds to air from storage, handling, and washing steps, the licensee must apply BAT 14d and use one or a combination of the techniques given in BAT 50 of CID 2018/1147, within six months of date of grant of this Technical Amendment.

Amended Condition

Replace Condition 7.3, of the existing licence with the following:

- 7.3 The licensee must identify opportunities for reduction in the quantity of water used on site including recycling and reuse initiatives, wherever possible, using an appropriate combination of the techniques listed in BAT 19 of CID 2018/1147, within six months of date of grant of this Technical Amendment. To optimise water consumption, to reduce the volume of waste water generated and to prevent or, where that is not practicable, to reduce emissions to soil and water, reductions in water usage must be incorporated into the Schedule of Environmental Objectives and Targets under Condition 2.

New Conditions

Append the following to Condition 7, of the existing licence:

- 7.5 The licensee must monitor the consumption of water, energy and raw materials, as well as the generation of residues and waste water annually, in accordance with the techniques listed in BAT 11 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 7.6 To use materials efficiently, the licensee must substitute materials with waste in accordance with BAT 22, within six months of date of grant of this Technical Amendment.
- 7.7 To use energy efficiently, the licensee must use both the techniques listed in BAT 23 of CID 2018/1147, within six months of date of grant of this Technical Amendment.

Append the following to Condition 8.11.5, of the existing licence:

- 8.11.5 The Waste and Materials Storage Plan must incorporate:
- all the techniques listed in BAT 4 of CID 2018/1147, within six months of date of grant of this Technical Amendment.

Append the following to Condition 8, of the existing licence:

- 8.18 The licensee must establish and implement waste handling and transfer procedures in accordance with BAT 5 of CID 2018/1147, within six months of date of grant of this Technical Amendment.
- 8.19 To improve the overall environmental performance of the installation, the licensee must monitor the waste input as part of the waste pre-acceptance and acceptance procedure, within six months of date of grant of this Technical Amendment in accordance with BAT 2 of CID 2018/1147.
- 8.20 To reduce the quantity of waste sent for disposal, the licensee must use one or both of the techniques listed in BAT 43 of CID 2018/1147, within six months of date of grant of this Technical Amendment.

Append the following to Condition 11, of the existing licence:

- 11.14 The licensee must submit the reports, proposals and submissions required by this licence by the deadlines specified. The licensee will not be in compliance with the requirements of this condition unless and until it has submitted every report, proposal and submission, the deadline for which has passed.
- 11.15 The licensee must carry out every action required by the Agency, and arising out of such reports, proposals or submissions, by such deadline as the Agency may specify. The licensee will not be in compliance with the requirements of this condition unless and until it has carried out every such action.
- 11.16 The licensee must identify the technique, or combination of techniques where required, used for each BAT referenced in the Waste Treatment CID 2018/1147. The licensee must prepare a report setting out the selected technique(s) used and submit this report along with the AER.

Amended Schedules

SCHEDULE B: Emission Limits

Replace Schedule B.3 Emissions to Sewer, of the existing licence with the following:

B.3 Emissions to Sewer

Emission Point Reference No.: SE-1
Name of Receiving Waters: River Triogue
Location: In the yard behind the canteen
Grid reference: 646006 697809
Volume to be emitted ^{Note 1} Maximum in any one day: 50 m³
 Maximum rate per hour (m³): 10 m³
 Hours of discharge: 2300 to 0600

| Parameter | Emission Limit Value | |
|--------------------------------|---|--------|
| pH | 6-9 | |
| Temperature | 35 °C (monthly mean) 43 °C (daily maximum) | |
| Toxicity | 10 TU | |
| | mg/l | kg/day |
| Chemical oxygen demand (COD) | 6,000 | 280 |
| Suspended solids | 400 | 20 |
| Ammonia | 80 | 4 |
| Sulphate (as SO ₄) | 800 | 40 |
| Chloride | 6,000 | 300 |
| Total phosphorus | 150 | 7.5 |
| Total nitrogen | 125 | - |
| Phenols | 30 | 1.5 |
| Hydrocarbon oil index | 10 | |

| | | |
|--|--------|---------|
| Arsenic <small>Note 1, 2</small> | 0.05 | |
| Chromium <small>Note 1, 2</small> | 0.15 | |
| Nickel <small>Note 1, 2</small> | 0.5 | |
| Copper <small>Note 1, 2</small> | 0.5 | 0.025 |
| Zinc <small>Note 1, 2</small> | 0.5 | 0.025 |
| Lead <small>Note 1, 2</small> | 0.1 | 0.005 |
| Mercury <small>Note 1, 2</small> | 5 µg/l | |
| Cadmium <small>Note 1, 2</small> | 0.005 | 0.00025 |
| Fats, oils and grease | 100 | 5 |

Note 1 ELVs may not apply if the downstream waste water treatment plant abates the pollutants concerned, provided this does not lead to a higher level of pollution in the environment.

Note 2: The ELVs only apply when the substance concerned is identified as relevant in the waste water inventory mentioned in BAT 3.

SCHEDULE C: Control & Monitoring

Replace Schedule C.3 Monitoring of Emissions to Sewer, of the existing licence with the following:

C.3 Monitoring of Emissions to Sewer

Emission Point Reference No.: SE-1

| Parameter | Monitoring Frequency | Analysis Method/Technique <small>Note 3, 4, 5</small> |
|--|----------------------|--|
| Flow to sewer | Continuous | Flow meter |
| pH | Continuous | pH meter |
| Temperature | Continuous | Temperature probe |
| Chemical oxygen demand ^{Note 1} | Daily | Standard Method |
| Total organic carbon | Daily | EN Standard Method |
| Suspended solids | Daily | EN standard Method |
| Ammonia | Daily | EN Standard Method |
| Sulphates | Weekly | EN Standard Method |
| Chloride | Weekly | EN Standard Method |
| Total phosphorus | Weekly | EN Standard Method |
| Total nitrogen | Weekly | EN Standard Method |
| Phenols | Weekly | EN Standard Method |
| Arsenic ^{Note 2, 6} | Monthly | EN Standard Method |
| Chromium ^{Note 2, 6} | Monthly | EN Standard Method |
| Nickel ^{Note 2, 6} | Monthly | EN Standard Method |
| Copper ^{Note 2, 6} | Weekly | EN Standard Method |
| Zinc ^{Note 2, 6} | Weekly | EN Standard Method |
| Lead ^{Note 2, 6} | Weekly | EN Standard Method |
| Mercury ^{Note 2, 6} | Monthly | EN Standard Method |

| | | |
|--|--------------|--------------------|
| Cadmium ^{Note 2, 6} | Weekly | EN Standard Method |
| Fats, oils and grease | Weekly | EN Standard Method |
| Full metals screen | Quarterly | ICP |
| Priority Substances | As requested | Standard Method |
| Hydrocarbon oil index ^{Note 6} | Monthly | EN Standard Method |
| Toxicity | As requested | Standard Method |
| Respirometry | Annually | Standard Method |
| PFOA ^{Note 2} | Bi-annually | Standard Method |
| PFOS ^{Note 2} | Bi-annually | Standard Method |

- Note 1:** Either TOC or COD is monitored, TOC is the preferred option, because its monitoring does not rely on the use of very toxic compounds.
- Note 2:** The monitoring only applies when the substance concerned is identified as relevant in the waste water inventory mentioned in BAT 3.
- Note 3:** The licensee must monitor emissions to water with at least the frequency given, and in accordance with EN standards. If EN standards are not available, the licensee must use ISO, national or other international standards that ensure the provision of data of an equivalent scientific quality.
- Note 4:** All samples excluding those for pH and temperature must be collected on a 24-hour flow proportional composite sampling basis.
- Note 5:** Sampling must take place on alternate week days on a rolling basis to ensure representative samples are obtained for site operations which may vary across the working week.
- Note 6:** In the case of an indirect discharge to a receiving water body, the monitoring frequency may be reduced if the downstream waste water treatment plant abates the pollutants concerned.

This technical amendment must be cited as Amendment A, to the licence.

Sealed by the Seal of the Agency on this the XX day of MMMM, 2024

PRESENT when the seal of the Agency was affixed hereto:

xxxxxxx, Authorised Person